

**ONTARIO
SUPERIOR COURT OF JUSTICE
COMMERCIAL LIST**

BETWEEN:

CANADIAN WESTERN BANK

Applicant

and

2722959 ONTARIO LTD. and 2156775 ONTARIO LIMITED

Respondents

**SECOND
SUPPLEMENTARY MOTION RECORD
(Motion returnable July 24, 2023)
(Volume 2 of 2)**

DATED: July 12, 2023

KLUG LAW
Barristers and Solicitors
100 Allstate Parkway
Suite 800
Markham, Ontario L3R 6H3

Leo Klug (LSO #12452U)
leoklug@kluglaw.ca
Telephone: (905) 947-8771
Facsimile: (905) 947-0529

Counsel to Lo Greco Stilman LLP

LO GRECO STILMAN LLP
Barristers and Solicitors
14845 Yonge Street
Suite 201
Aurora, Ontario L4G 6H8

Joseph F. Lo Greco (LSO #355570)
jlogreco@lslaw.ca
Telephone: (416) 488-4110
Facsimile: (416) 488-0216

Lawyer for the Respondents

TO: RECONSTRUCT LLP
200 Bay Street
Suite 2305, Box 120
Toronto, Ontario M5J 2J3

Joel Turgeon
jturgeon@reconllp.com

Caitlin Fell
cfell@reconllp.com

Telephone: (416) 613-8280
Facsimile: (416) 613-8290

Lawyers for the Receiver

AND TO: MILLER THOMSON LLP
Scotia Plaza
40 King Street West
Suite 5800, P.O. Box 1011
Toronto, Ontario M5H 3S1

Gavin H. Finlayson (LSO #44126D)
gfinlayson@millerthomson.com
Telephone: (416) 595-8619

Kaleigh Sonshine (LSO #70105T)
ksonshine@millerthomson.com
Telephone: (416) 595-8166

Lawyers for the Applicant,
Canadian Western Bank

This is **Exhibit "H"** referred to in the
Affidavit of Frank D'Angelo
sworn before me this 12th day of
July, 2023



A Commissioner, etc.



Swara Controls Inc. ¹⁰²

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

Company: D'Angelo (2156775 Ontario Inc.)
4544 Eastgate Parkway
Mississauga, Ontario L4W 3W6
Phone: (905) 238-6300 Fax: (905) 629-7081

Attention: Maan Abdelghani
RE: *Surcharge Study*

D'ANGELO

2156775 Ontario Inc.

CITY OF MISSISSAUGA

**SANITARY SEWER CALCULATION SUMMARY
REPORT**

Nov 2019 – July 2020



103
Swara Controls Inc.

123 Leadership Dr

Brampton, Ont. L6Y 5T3

Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

TABLE OF CONTENTS

<i>Section No.</i>	<i>Page No.</i>
1.0 INTRODUCTION	3
2.0 SANITARY SEWER COST CALCULATION	4
3.0 DOCUMENTATION	5



104
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

1.0 INTRODUCTION

D'Angelo brands appointed Shailesh Patel, P.Eng from Swara Controls Inc. to review water bills, BOD reports from Peel region, BOD reports from Gelda Lab and perform BOD surcharges calculations. All data has been backed with data supplied by D'Angelo Brands. Swara Controls Inc. is not responsible for authenticity of the data.



105
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154


Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

3.0 DOCUMENTATION

1. Water Bills from the Region of Peel
2. Region of Peel Sample BOD Reading document
3. Gelda Scientific (Independent third party) BOD calculation based on sample supplied
4. Plant Lab BOD calculation (Average)


Shalash Patel, P. Eng
SWARA CONTROLS INC.
SEP 10/2020



106
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

2.0 SANITARY SEWER COST CALCULATION

1. Cost calculation based on City sample reading taken by Region of Peel

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD read by Region of Peel Sample	Water Surcharge Calculated \$ Amount
1	Nov 2019	4982	0.71	3537	19	24,193
2	Dec 2019	3366	0.71	2390	4	3,442
3	Jan 2020	20618	0.71	14639	2.67	14,384
4	Feb 2020	27731	0.71	19689	15.33	111,974
5	March 2020	22738	0.71	16144	2.33	13,843
6	April 2020	25921	0.71	18403	10	67,723
7	May 2020	24398	0.71	17323	1.97	12,558
8	June 2020	24534	0.71	17419	7.33	46,987
9	July 2020	26474	0.71	18797	7	48,421



107
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

2. Cost calculation based on sample reading taken by plant and BOD calculated by third party Gelda Scientific

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD by Gelda Scientific	Water Surcharge Calculated \$ Amount
1	Nov 2019	4982	0.71	3537	0.79	1,006
2	Dec 2019	3366	0.71	2390	1.73	1,488
3	Jan 2020	20618	0.71	14639	2.57	13,845
4	Feb 2020	27731	0.71	19689	5.18	37,532
5	March 2020	22738	0.71	16144	1.46	8,674
6	April 2020	25921	0.71	18403	4.79	32,439
7	May 2020	24398	0.71	17323	2.41	15,363
8	June 2020	24534	0.71	17419	4.17	26,730
9	July 2020	26474	0.71	18797	4.27	29,537

Sr. No	Month	Average BOD by Gelda Scientific
1	Nov 2019	537
2	Dec 2019	819
3	Jan 2020	1070
4	Feb 2020	1855
5	March 2020	738
6	April 2020	1738
7	May 2020	1022
8	June 2020	1550
9	July 2020	1580



108
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

3. Cost calculation based on sample reading taken by plant and BOD Average calculated by third party Gelda Scientific and plant lab personnel

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD by Gelda Scientific	Water Surcharge Calculated \$ Amount
1	Nov 2019	4982	0.71	3537	0.87	1,108
2	Dec 2019	3366	0.71	2390	1.48	1,273
3	Jan 2020	20618	0.71	14639	2.09	11,259
4	Feb 2020	27731	0.71	19689	3.55	25,722
5	March 2020	22738	0.71	16144	1.37	8,139
6	April 2020	25921	0.71	18403	3.58	24,245
7	May 2020	24398	0.71	17323	2.01	12,813
8	June 2020	24534	0.71	17419	3.29	21,090
9	July 2020	26474	0.71	18797	3.40	23,519

Sr. No	Month	Average BOD by Gelda Scientific and Plant Lab Testing
1	Nov 2019	562
2	Dec 2019	743
3	Jan 2020	927
4	Feb 2020	1365
5	March 2020	712
6	April 2020	1375
7	May 2020	902
8	June 2020	1287
9	July 2020	1321



Region of Peel
working with you

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

109

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-791-8711
Caledon	905-584-2216

Service Address

3156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Bill Issue Date	2019-11-07
No. of Days Billed	31

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2019-10-15
PAYMENT RECEIVED WITH THANKS 2019-10-28
LATE PAYMENT CHARGES
BALANCE FORWARD
WATER: 4,992.5m³ X 100% X \$1.47251
WASTEWATER: 4,982.5m³ X 100% X \$1.23667
STORMWATER CHARGE: 45.5 UNITS X \$0.2898907 X 33 DAYS

RECEIVED NOV 20 2019

\$ Amount

\$426,802.69
\$10,000.00 CR
\$10,000.00 CR
\$1,823.19
\$408,625.88
\$7,336.78
\$5,663.46
\$455.27

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read Consumption	
2019-11-07	31	4982m ³	160.710m ³	W/STAL	2019-11-07	34209	567455	\$422,061.39
2019-10-07	31	34796m ³	1122.452m ³					
2019-09-06	30	30922m ³	1030.733m ³					
2019-08-07	28	25160m ³	909.286m ³					
2019-07-10	34	27896m ³	820.471m ³					
2019-06-06	30	26204m ³	873.467m ³					
2019-05-07	29	22354m ³	770.828m ³					
2019-04-08	29	28358m ³	977.862m ³					
								Amount Due After
								2019-12-02
								\$422,330.12

Please Retain This Portion for Your Records

Page 1 of 4

HST No. 119407167RT When Applicable

Please Return This Stub With Your Payment

Please Do Not Staple, Fold or Use Paper Clips.
Payments may be made at most financial institutions.



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

422330112019120258541100002422061392

Service Address

4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

001172 000004342
3156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$422,061.39
After This Date Pay This Amount	2019-12-02
Amount Paid	\$422,330.12

1:02223m900:

96



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE-
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.1	DAB	Date Reported: 27-Nov-19
Date Received: 18-Nov-19		Analysis Date: 19-Nov-19
Code From: 9		Report To: Maan Abdelghani
Code To: 9		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Reported: 27-Nov-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO#: 46897		Email: maan.abdelghani@dangelobrands.ca
Lab Tracking #: 435/810688		

Sample Desc.: 9. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	492

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Salec Mgr Lab Manager VP

Dr. Sumona Guha / Binodip Chandra
Microbiologist

Gelda Scientific and Industrial Development Corporation
320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.2	DAB	Date Reported: 27-Nov-19
Date Received: 18-Nov-19		Analysis Date: 19-Nov-19
Code From: 10		Report To: Maan Abdelghani
Code To: 10		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Reported: 27-Nov-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO#: 46897		Email: maan.abdelghani@dangelobrand.com
Lab Tracking #: 435/810688		

Sample Desc.: 10. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	637

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
3320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



112
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

1st Report

Date: 10 September 2020

Company: **D'Angelo (2156775 Ontario Inc.)**
4544 Eastgate Parkway
Mississauga, Ontario L4W 3W6
Phone: (905) 238-6300 Fax: (905) 629-7081

Attention: **Maan Abdelghani**
RE: *Surcharge Study*

D'ANGELO

2156775 Ontario Inc.

CITY OF MISSISSAUGA

**SANITARY SEWER CALCULATION SUMMARY
REPORT**

Nov 2019 – July 2020

113



Swara Controls Inc.
123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154
Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

TABLE OF CONTENTS

<i>Section No.</i>	<i>Page No.</i>
1.0 INTRODUCTION	3
2.0 SANITARY SEWER COST CALCULATION	4
3.0 DOCUMENTATION	5



114
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

1.0 INTRODUCTION

D'Angelo brands appointed Shailesh Patel, P.Eng from Swara Controls Inc. to review water bills, BOD reports from Peel region, BOD reports from Gelda Lab and perform BOD surcharges calculations. All data has been backed with data supplied by D'Angelo Brands. Swara Controls Inc. is not responsible for authenticity of the data.



115
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154
Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

2.0 SANITARY SEWER COST CALCULATION

1. Cost calculation based on City sample reading taken by Region of Peel

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD read by Region of Peel Sample	Water Surcharge Calculated \$ Amount
1	Nov 2019	4982	0.71	3537	19	24,193
2	Dec 2019	3366	0.71	2390	4	3,442
3	Jan 2020	20618	0.71	14639	2.67	14,384
4	Feb 2020	27731	0.71	19689	15.33	111,974
5	March 2020	22738	0.71	16144	2.33	13,843
6	April 2020	25921	0.71	18403	10	67,723
7	May 2020	24398	0.71	17323	1.97	12,558
8	June 2020	24534	0.71	17419	7.33	46,987
9	July 2020	26474	0.71	18797	7	48,421



116
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

2. Cost calculation based on sample reading taken by plant and BOD calculated by third party Gelda Scientific

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD by Gelda Scientific	Water Surcharge Calculated \$ Amount
1	Nov 2019	4982	0.71	3537	0.79	1,006
2	Dec 2019	3366	0.71	2390	1.73	1,488
3	Jan 2020	20618	0.71	14639	2.57	13,845
4	Feb 2020	27731	0.71	19689	5.18	37,532
5	March 2020	22738	0.71	16144	1.46	8,674
6	April 2020	25921	0.71	18403	4.79	32,439
7	May 2020	24398	0.71	17323	2.41	15,363
8	June 2020	24534	0.71	17419	4.17	26,730
9	July 2020	26474	0.71	18797	4.27	29,537

Sr. No	Month	Average BOD by Gelda Scientific
1	Nov 2019	537
2	Dec 2019	819
3	Jan 2020	1070
4	Feb 2020	1855
5	March 2020	738
6	April 2020	1738
7	May 2020	1022
8	June 2020	1550
9	July 2020	1580



117
Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 10 September 2020

3. Cost calculation based on sample reading taken by plant and BOD Average calculated by third party Gelda Scientific and plant lab personnel

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD by Gelda Scientific	Water Surcharge Calculated S Amount
1	Nov 2019	4982	0.71	3537	0.87	1,108
2	Dec 2019	3366	0.71	2390	1.48	1,273
3	Jan 2020	20618	0.71	14639	2.09	11,259
4	Feb 2020	27731	0.71	19689	3.55	25,722
5	March 2020	22738	0.71	16144	1.37	8,139
6	April 2020	25921	0.71	18403	3.58	24,245
7	May 2020	24398	0.71	17323	2.01	12,813
8	June 2020	24534	0.71	17419	3.29	21,090
9	July 2020	26474	0.71	18797	3.40	23,519

Sr. No	Month	Average BOD by Gelda Scientific and Plant Lab Testing
1	Nov 2019	562
2	Dec 2019	743
3	Jan 2020	927
4	Feb 2020	1365
5	March 2020	712
6	April 2020	1375
7	May 2020	902
8	June 2020	1287
9	July 2020	1321

118



Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540


SURCHARGE STUDY

Date: 10 September 2020

3.0 DOCUMENTATION

1. Water Bills from the Region of Peel
2. Region of Peel Sample BOD Reading document
3. Gelda Scientific (Independent third party) BOD calculation based on sample supplied
4. Plant Lab BOD calculation (Average)

Shilashi
 Shilashi Patel, P. ENG
 SWARA CONTROLS INC.
 Sep 10/2020



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-791-8711
Caledon	905-584-2216

Service Address

3156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Bill Issue Date	2019-11-07
No. of Days Billed	33

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2019-10-15
PAYMENT RECEIVED WITH THANKS 2019-10-28
LATE PAYMENT CHARGES
BALANCE FORWARD
WATER: 4,952.5m³ X 100% X \$1.47251
WASTEWATER: 4,982.5m³ X 100% X \$1.13667
STORMWATER CHARGE: 45.5 UNITS X \$0.2898907 X 33 DAYS

RECEIVED NOV 20 2019

S Amount

5426,802.69
\$10,000.00 CR
\$10,000.00 CR
\$1,823.29
\$408,625.88
\$7,336.78
\$5,663.40
\$435.27

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill					Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Lamp Read	Consumption	
2019-11-07	31	4982m ³	160.710m ³	ACTUAL	2019-11-07	24-05	5414.5	4982.5m ³	\$422,061.39
2019-10-07	31	34796m ³	1122.452m ³						
2019-09-06	30	30922m ³	1030.733m ³						
2019-08-07	28	23166m ³	909.286m ³						
2019-07-10	34	27896m ³	820.471m ³						
2019-06-06	30	26204m ³	873.467m ³						
2019-05-07	29	22354m ³	770.828m ³						
2019-04-08	29	28358m ³	977.862m ³						
									Amount Due After 2019-12-07 \$422,330.22


Please Retain This Portion for Your Records

Page 1 of 1

HST No. 119407167RT When Applicable

Please Return This Stub With Your Payment

Please Do Not Staple, Fold or Use Paper Clips.
Payment may be made at most financial institutions



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

422330112019120258543100002422061392

Service Address

4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

001172 000004342
3156775 ONTARIO INC
C/O D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$422,061.39
After This Date Pay This Amount	2019-12-07 \$422,330.22
Amount Paid	

102223m900:

98



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.1 **DAB** **Date Reported:** 27-Nov-19
Date Received: 18-Nov-19 **Analysis Date:** 19-Nov-19
Code From: 9 **Report To:** Maan Abdelghani
Code To: 9 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Reported: 27-Nov-19 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO#: 46897 **Email:** maan.abdelghani@dangelobrand.com
Lab Tracking #: 435/810688

Sample Desc.: 9. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	492

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.2	DAB	Date Reported: 27-Nov-19
Date Received: 18-Nov-19		Analysis Date: 19-Nov-19
Code From: 10		Report To: Maan Abdelghani
Code To: 10		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Reported: 27-Nov-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO#: 46897		Email: maan.abdelghani@dangelobrands.ca
Lab Tracking #: 435/810688		

Sample Desc.: 10. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6005	mg/L	125	637

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr. Lab Manager VP

Dr. Sumona Guha / Bhawana Chandrasekhar
Microbiologist

Gelda Scientific and Industrial Development Corporation
1320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.3 DAB Date Reported: 27-Nov-19
 Date Received: 18-Nov-19 Analysis Date: 19-Nov-19
 Code From: 11 Report To: Maan Abdelghani
 Code To: 11 Fax: 905-238-6300 ext 232
 # of Samples: 1 Tel: 905-629-7081
 Date Reported: 27-Nov-19 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
 PO# 46897 Email: maan.abdelghani@dangelobrands.ca
 Lab Tracking #: 435/810688

Sample Desc.: 11. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	478

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
120 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref: SOP 10.1 See statements on reverse side.


D'Angelo BOD Lab Test

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	BODS 5 Days Incubator
November 1, 2019	9 am / 9 pm	7.5 - 8.0	0.02 / 0.03	350 / 425 mg/L
November 2, 2019	closed			
November 3, 2019	closed			
November 4, 2019	9 am / 9 pm	8.2-7.4	0.07 -0.05	450-325 mg/L
November 5, 2019	9 am / 9 pm	7.2-7.5	0.01 -0.03	625 - 650 mg/L
November 6, 2019	9 am / 9 pm	7.6-7.8	0.02 -0.03	452 - 625 mg/L
November 7, 2019	9 am / 9 pm	8.2-7.6	0.01 -0.03	725 - 450 mg/L
November 8, 2019	9 am / 9 pm	7.9-7.8	0.02 -0.05	650-750 mg/L
November 9, 2019	closed			
November 10, 2019	closed			
November 11, 2019	9 am / 9 pm	8.2-7.9	0.03 -0.05	1000-850 mg/L
November 12, 2019	9 am / 9 pm	9.5-7.9	0.04 -0.06	560 - 750 mg/L
November 13, 2019	9 am / 9 pm	8.5-7.8	0.03 -0.06	325-350 mg/L
November 14, 2019	9 am / 9 pm	8.7-8.2	0.02 -0.06	650-450 mg/L
November 15, 2019	9 am / 9 pm	7.5-7.6	0.03 -0.06	560-350 mg/L
November 16, 2019	closed			
November 17, 2019	closed			
November 18, 2019	9 am / 9 pm	8.5-7.5	0.05 -0.06	860-550 mg/L
November 19, 2019	9 am / 9 pm	7.9-7.5	0.02 -0.05	450-720 mg/L
November 20, 2019	9 am / 9 pm	8.4-8.7	0.05 -0.08	850-750 mg/L
November 21, 2019	9 am / 9 pm	7.6-8.3	0.03 -0.05	800-625 mg/L
November 22, 2019	9 am / 9 pm	8.5-8.6	0.01 -0.02	750-750 mg/L
November 23, 2019	closed			
November 24, 2019	closed			
November 25, 2019	9 am / 9 pm	7.6-8.2	0.01 -0.01	450-350 mg/L
November 26, 2019	9 am / 9 pm	7.9-7.5	0.03 -0.04	550-650 mg/L
November 27, 2019	9 am / 9 pm	7.6-7.5	0.05 -0.02	750-650 mg/L
November 28, 2019	9 am / 9 pm	8.1-7.6	0.03 -0.02	450-550 mg/L
November 29, 2019	9 am / 9 pm	8.2-7.5	0.01 -0.02	450-350 mg/L
November 30, 2019	closed			

387.5
 387.5
 637.5
 538.5
 587.5
 700.0
 935.0
 655.0
 337.5
 550.0
 455.0
 745.0
 585.0
 820.0
 712.50
 750.0
 400.0
 600.0
 700.0
 500.0
 400.0

AU: 586.36



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

124

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-791-871
Caledon	905-584-221

Key
W.C.

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2019-11-13
PAYMENT RECEIVED WITH THANKS 2019-11-26
PAYMENT RECEIVED WITH THANKS 2019-12-09
LATE PAYMENT CHARGES
BALANCE FORWARD
SEWER APPEAL ADJUSTMENT
SEWER APPEAL ADJUSTMENT
WATER: $2,471.5m^3 \times 100\% \times \1.47251
WASTEWATER: $2,471.5m^3 \times 100\% \times \1.13667
STORMWATER CHARGE: $45.5 \text{ UNITS} \times \$0.2898907 \times 29 \text{ DAYS}$

Bill Issue Date	2019-12-10
No. of Days Billed	29

\$ Amount

\$200,539.85
\$10,000.00 CR
\$10,000.00 CR
\$10,000.00 CR
\$228.09
\$170,767.94
\$1,642.40 CR
\$168,897.45 CR
\$3,639.31
\$2,809.28
\$382.51


A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read	Consumption
2019-12-06	29	2472m ³	85.241m ³	ACTUAL	2019-12-06	76605.5	563710	2471.5m ³
2019-11-07	31	4982m ³	160.710m ³					
2019-10-07	31	34796m ³	1122.452m ³					
2019-09-06	30	30922m ³	1030.733m ³					
2019-08-07	28	25460m ³	909.286m ³					
2019-07-10	34	27896m ³	820.471m ³					
2019-06-06	30	26204m ³	873.467m ³					
2019-05-07	30	22354m ³	745.133m ³					
								\$7,059.19
								Amount Due After
								2020-01-02
								\$7,195.82

Please Retain This Portion for Your Records

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

007195822020010258541100002007059198

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address
2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$7,059.19
After This Date Pay This Amount	2020-01-02 \$7,195.82
Amount Paid	

Region of Peel
working with you

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

125

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-791-8711
Caledon	905-584-2216

M

Bill Issue Date	2019-12-19
No. of Days Billed	40

Service Address
2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Description
PREVIOUSLY BILLED AMOUNT
BALANCE FORWARD
CORRECTION TO PRIOR BILL
WATER: 51,766m³ x 100% X \$1.47251
WASTEWATER: 51,766m³ X 100% X \$1.13667
STORMWATER CHARGE: 45.5 UNITS X \$0.2898907 x 36 DAYS

\$ Amount	\$7,059.19
	\$7,059.19
	\$6,831.10 CR
	\$76,225.95
	\$58,840.86
	\$474.64

NOTE: This should be 3365.5 m³

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.


Consumption History				Read Type	Current Bill			Amount Now Due	
Read Date	Days Billed	Consumption	Average Daily Consumption		Date	Regular Read	Large Read		
2019-12-17	40	51766m ³	1294.150m ³	ACTUAL	2019-12-17	77419.5	563790	\$135,769.74	
2019-11-07	31	4982m ³	160.710m ³						Amount Due After
2019-10-07	31	34796m ³	1122.452m ³						2020-01-09
2019-09-06	30	30922m ³	1030.733m ³						\$138,480.58
2019-08-07	28	25460m ³	909.286m ³						
2019-07-10	34	27896m ³	820.471m ³						
2019-06-06	30	26204m ³	873.467m ³						
2019-05-07	30	22354m ³	745.133m ³						

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 118407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

138480582020010958541100002135769742

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address
2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$135,769.74
After This Date Pay This Amount	2020-01-09 \$138,480.58
Amount Paid	



GELDA SCIENTIFIC

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 28.2	DAB	Date Reported: 17-Dec-19
Date Received: 09-Dec-19		Analysis Date: 10-Dec-19
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 17-Dec-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47100		Email: maan.abdelghani@dangelobrand.ca

9. Wastewater from City Manhole, Lot# 09/12/2019

Inorganic Chemistry (Water)

Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	819

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Safes Mgr Lab Manager VP

Dr. Sumona Guha / B.S. Chandrasekhar
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref. SOP 10.1 See statements on reverse side.

127

D'Angelo-BOD Lab Test

Dec-19

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
December 1, 2019	closed			
December 2, 2019	9 AM - 9 PM	7.6-8.2	0.03 -0.06	400-450 mg/L
December 3, 2019	9 AM - 9 PM	8.3-8.2	0.03 -0.05	650-550 mg/L
December 4, 2019	9 AM - 9 PM	8.6-7.9	0.09 -0.05	650-350 mg/L
December 5, 2019	9 AM - 9 PM	7.5-7.9	0.06 -0.06	800-900 mg/L
December 6, 2019	9 AM - 9 PM	7.8-7.9	0.07 -0.08	1100-850 mg/L
December 7, 2019	closed			
December 8, 2019	closed			
December 9, 2019	9 AM - 9 PM	7.8-7.9	0.05 -0.09	850-750 mg/L
December 10, 2019	9 AM - 9 PM	8.5-8.2	0.09 -0.08	980-1050 mg/L
December 11, 2019	9 AM - 9 PM	8.2-7.9	0.09-0.04	980-450 mg/L
December 12, 2019	9 AM - 9 PM	8.4-8.1	0.08 -0.06	550-650 mg/L
December 13, 2019	9 AM - 9 PM	7.6-7.9	0.05 -0.07	400-450 mg/L
December 14, 2019	closed			
December 15, 2019	closed			
December 16, 2019	9 AM - 9 PM	7.9-7.5	0.42 -0.02	450-650 mg/L
December 17, 2019	9 AM - 9 PM	7.8-7.8	0.04 -0.06	900-750 mg/L
December 18, 2019	9 AM - 9 PM	7.6-7.6	0.06 -0.05	500-650 mg/L
December 19, 2019	9 AM - 9 PM	7.9-8.6	0.04 -0.05	550-650 mg/L
December 20, 2019	9 AM - 9 PM	8.2-8.6	0.04 -0.04	850-900 mg/L
December 21, 2019	closed			
December 22, 2019	closed			
December 23, 2019	9 AM - 9 PM	8.3-7.6	0.03 -0.04	650-750 mg/L
December 24, 2019	9 AM - 9 PM	7.8-7.9	0.08 -0.03	550-650 mg/L
December 25, 2019	closed			
December 26, 2019	closed			
December 27, 2019	closed			
December 28, 2019	closed			
December 29, 2019	closed			
December 30, 2019	9 AM - 9 PM	8.1-8.2	0.07 -0.06	500-450 mg/L
December 31, 2019	9 AM - 9 PM	8.9-8.6	0.03 -0.02	600-550 mg/L

425-u
600-u
520-u
850-u
975-u

600-u
1015-u
715-u
600-u
425-u


530-u
825-u
520-u
600-u
875-u

700-u
600-u

475-u
575-u

667.36

A



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

Account Number	5854-1100-00
Billing Inquiries - 6:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga Caledon	905-701-3711 905-584-2211

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Bill Issue Date	2020-01-10
No. of Days Billed	23

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2019-12-24
BALANCE FORWARD
WATER: 20,618.5m³ X 100% X \$1.47251
WASTEWATER: 20,618.5m³ X 100% X \$1.13667
STORMWATER CHARGE: 45.5 UNITS X \$0.2898907 X 24 DAYS

\$ Amount

\$135,769.74
\$10,000.00 CR
\$125,769.74
\$30,360.95
\$23,436.43
\$316.56

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Road Type	Date	Regular Read	Large Read	Consumption
2020-01-09	23	20618m ³	896.435m ³	ACTUAL	2020-01-09	79186	582640	20618.5m ³
2019-12-17	40	51766m ³	1294.150m ³					
2019-11-07	31	4982m ³	160.710m ³					
2019-10-07	31	34796m ³	1122.452m ³					
2019-09-06	30	30922m ³	1030.733m ³					
2019-08-07	28	25460m ³	909.286m ³					
2019-07-10	34	27896m ³	820.471m ³					
2019-06-06	34	26204m ³	770.706m ³					

\$179,883.68

Amount Due After


2020-01-31

\$180,965.96

Please Retain This Portion for Your Records

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

180965962020013158541100002179883682

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$179,883.68
After This Date Pay This Amount	2020-01-31 \$180,965.96
Amount Paid	



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MDE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 31.2	DAB	Date Reported: 7-Feb-20
Date Received: 31-Jan-20		Analysis Date: 31-Jan-20
Code From: 9		Report To: Maan Abdelghani
Code To: 9		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 7-Feb-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 584/811295		Email: maan.abdelghani@dangelobrand.ca
PO#: 47087		

Sample Desc.: 9. Wastewater from City Manhole (From Side Wall), Lot# 30/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1070

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
20 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

130

D'Angelo BOD Lab Test

January-20

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
January 1, 2020	closed			
January 2, 2020	9 AM - 9 PM	7.3-7.5	0.03 -0.04	350-550 mg/L
January 3, 2020	9 AM - 9 PM	7.8-7.9	0.05 -0.05	425-450 mg/L
January 4, 2020	closed			
January 5, 2020	closed			
January 6, 2020	9 AM - 9 PM	7.9-8.2	0.04 -0.03	500-650 mg/L
January 7, 2020	9 AM - 9 PM	8.6-8.4	0.03 -0.04	980-1050 mg/L
January 8, 2020	9 AM - 9 PM	7.9-7.2	0.05 -0.05	1100-1000 mg/L
January 9, 2020	9 AM - 9 PM	8.6-9.2	0.04 -0.06	450-750 mg/L
January 10, 2020	9 AM - 9 PM	7.6-8.2	0.05 -0.07	550-750 mg/L
January 11, 2020	closed			
January 12, 2020	closed			
January 13, 2020	9 AM - 9 PM	7.5-7.8	0.09 -0.10	550-750 mg/L
January 14, 2020	9 AM - 9 PM	7.8-7.9	0.04 -0.07	1000-850 mg/L
January 15, 2020	9 AM - 9 PM	7.6-7.7	0.08 -0.09	1200-1300 mg/L
January 16, 2020	9 AM - 9 PM	7.6-7.8	0.04 -0.106	550-800- mg/L
January 17, 2020	9 AM - 9 PM	8.1-7.9	0.04 -0.03	850-1000 mg/L
January 18, 2020	closed			
January 19, 2020	closed			
January 20, 2020	9 AM - 9 PM	8.1-7.9	0.06 -0.07	680-550 mg/L
January 21, 2020	9 AM - 9 PM	7.8-7.3	0.06 -0.08	850-950 mg/L
January 22, 2020	9 AM - 9 PM	7.1-7.8	0.06 -0.09	650-850 mg/L
January 23, 2020	9 AM - 9 PM	8.1-8.6	0.06 -0.10	850-950 mg/L
January 24, 2020	9 AM - 9 PM	8.9-9.1	0.01 -0.00	600-750 mg/L
January 25, 2020	closed			
January 26, 2020	closed			
January 27, 2020	9 AM - 9 PM	7.4-7.5	0.08 -0.06	890-900 mg/L
January 28, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.07	550-951 mg/L
January 29, 2020	9 AM - 9 PM	7.4-7.6	0.08 -0.08	1100-1200 mg/L
January 30, 2020	9 AM - 9 PM	7.8-7.8	0.08 -0.09	850-900 mg/L
January 31, 2020	9 AM - 9 PM	9.2-9.3	0.02 -0.01	100-950 mg/L

450-0
437.5-0

575-0
1015-0
1050-0
600-0
660-0

650-0
925-0
1230-0
675-0
925-0

615-0
900-0
750-0
900-0
675-0

895-0
750-5
1150-0
875-0
525-0

Aranya 763-55

131

Region of Peel
working with you

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

Account Number	
5854-1100-00	
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-781-8711
Caledon	905-564-2216

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

M

Bill Issue Date	2020-02-11
No. of Days Billed	29

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2020-01-22
LATE PAYMENT CHARGES
BALANCE FORWARD
SEWER APPEAL ADJUSTMENT
SEWER APPEAL ADJUSTMENT
WATER: 27,731m³ x 100% x \$1.47251
WASTEWATER: 27,731m³ x 100% x \$1.13667
STORMWATER CHARGE: 45.5 UNITS x \$0.2898907 x 32 DAYS

\$ Amount

\$179,883.68
\$10,000.00 CR
\$3,783.09
\$173,666.77
\$17,063.85 CR
\$6,796.56 CR
\$40,834.17
\$31,521.00
\$422.08

Toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.


Consumption History				Current Bill				Amount Now Due
Bill Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read	Consumption
20-02-07	29	27731m ³	956.241m ³	ACTUAL	2020-02-07	81459	508100	27731m ³
20-01-09	23	20618m ³	896.435m ³					
19-12-17	40	51766m ³	1294.150m ³					
19-11-07	31	4982m ³	160.710m ³					
19-10-07	31	34796m ³	1122.452m ³					
19-09-06	30	30922m ³	1030.733m ³					
19-08-07	28	25460m ³	909.286m ³					
19-07-10	28	27896m ³	996.286m ³					
								\$222,583.61
								Amount Due After
								2020-03-03
								\$224,039.15

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

22403915202003035854110000222583618

Service Address

4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$222,583.61
After This Date Pay This Amount	2020-03-03 \$224,039.15
Amount Paid	



GELDA SCIENTIFIC

Tel: (905) 673-8320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic: #100410-A
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.2	DAB	Date Reported: 11-Feb-20
Date Received: 03-Feb-20		Analysis Date: 04-Feb-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 11-Feb-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 46851		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 03/02/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1800

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1958-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A;
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.1	DAB	Date Reported: 19-Feb-20
Date Received: 10-Feb-20		Analysis Date: 11-Feb-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 3		Fax: 905-629-7081
Date Reported: 19-Feb-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 46796		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 10/02/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1910

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
20 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

134

D'Angelo BOD Lab Test

February-20

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
February 1, 2020	closed			
February 2, 2020	closed			
February 3, 2020	9 AM - 9 PM	7.5-7.5	0.05 -0.06	860-550 mg/L
February 4, 2020	9 AM - 9 PM	7.9-7.5	0.02 -0.05	400-720 mg/L
February 5, 2020	9 AM - 9 PM	8.4-8.79	0.05 -0.08	1500-860 mg/L
February 6, 2020	9 AM - 9 PM	7.8-7.12	0.05 -0.08	650-750 mg/L
February 7, 2020	9 AM - 9 PM	7.8-7.13	0.05 -0.09	425-484 mg/L
February 8, 2020	closed			
February 9, 2020	closed			
February 10, 2020	9 AM - 9 PM	8.1-8.4	0.05 -0.06	980-1050 mg/L
February 11, 2020	9 AM - 9 PM	8.1-7.5	0.05 -0.07	1000-1200 mg/L
February 12, 2020	9 AM - 9 PM	8.1-7.6	0.05 -0.08	980-1052 mg/L
February 13, 2020	9 AM - 9 PM	7.5-7.8	0.09 -0.10	850-750 mg/L
February 14, 2020	9 AM - 9 PM	7.8-7.9	0.04 -0.07	350-651 mg/L
February 15, 2020	closed			
February 16, 2020	closed			
February 17, 2020	9 AM - 9 PM	8.1-7.9	0.04 -0.03	850-1000 mg/L
February 18, 2020	9 AM - 9 PM	8.1-7.10	0.04 -0.04	1600-1500 mg/L
February 19, 2020	9 AM - 9 PM	8.2-7.11	0.04 -0.05	1200-1600 mg/L
February 20, 2020	9 AM - 9 PM	8.1-7.9	0.06 -0.08	900-850 mg/L
February 21, 2020	9 AM - 9 PM	7.8-7.3	0.06 -0.08	900-851 mg/L
February 22, 2020	closed			
February 23, 2020	closed			
February 24, 2020	9 AM - 9 PM	8.9-9.1	0.01 -0.00	890-100 mg/L
February 25, 2020	9 AM - 9 PM	8.1-9.2	0.01 -0.01	680-750 mg/L
February 26, 2020	9 AM - 9 PM	8.8-9.3	0.01 -0.02	800-1200 mg/L
February 27, 2020	9 AM - 9 PM	7.4-7.6	0.08 -0.06	890-900 mg/L
February 28, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.07	550-951 mg/L
February 29, 2020	closed			

705-0
 520-0
 1180-0
 700-0
 439-50
 1015-0
 1100-0
 1016-0
 800-0
 520-50
 925-0
 1530-0
 1400-0
 875-0
 875-5
 415-0
 715-0
 1000-0
 895-0
 750-50

Av 874-85



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-791-8711
Caledon	905-564-2216

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

M

Bill Issue Date	2020-03-10
No. of Days Billed	27

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2020-03-04
LATE PAYMENT CHARGES
BALANCE FORWARD
SEWER APPEAL ADJUSTMENT
WATER: 22,737.5m³ x 100% x \$1.47251
WASTEWATER: 22,737.5m³ x 100% x \$1.13667
STORMWATER CHARGE: 45.5 UNITS x \$0.2698907 x 28 DAYS

\$ Amount

\$222,583.61
\$10,000.00 CR
\$1,447.10
\$214,030.71
\$8,939.35 CR
\$33,481.20
\$25,845.03
\$369.32

For more information go to www.stormwatercharge.ca

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.


Consumption History				Read Type	Current Bill			Amount Now Due	
Read Date	Days Billed	Consumption	Average Daily Consumption		Date	Regular Read	Large Read	Consumption	
2020-03-05	27	22738m ³	842.146m ³	ACTUAL	2020-03-05	82666.5	629630	22737.5m ³	\$264,786.91
2020-02-07	29	27731m ³	956.241m ³						
2020-01-09	23	20618m ³	896.435m ³						
2019-12-17	40	51766m ³	1294.150m ³						
2019-11-07	31	4982m ³	160.710m ³						
2019-10-07	31	34796m ³	1122.452m ³						
2019-09-06	30	30922m ³	1030.733m ³						
2019-08-07	30	25460m ³	848.667m ³						
									Amount Due After
									2020-03-31
									\$265,980.82

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 118407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

265980822020033158541100002264786919

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$264,786.91
After This Date Pay This Amount	2020-03-31 \$265,980.82
Amount Paid	



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO
MC
LICENCE # 2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 34.1	DAB	Date Reported: 18-Mar-20
Date Received: 10-Mar-20		Analysis Date: 11-Mar-20
Code From: 9		Report To: Maan Abdelghani
Code To: 9		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 18-Mar-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 680/811698	=====>	Email: maan.abdelghani@dangelobrands.ca
PO#: 47181		

Sample Desc.: 9. Rinse water from Filler, Lot# 11:00:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1070

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit.

Authorized By: () Damlen Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr. Lab Manager VP

Dr. Sumona Guha / Bindeep Choudhary
Microbiologist

1978-2020



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO
LICENCE 03

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 34.4 **DAB** **Date Reported:** 18-Mar-20
Date Received: 10-Mar-20 **Analysis Date:** 11-Mar-20
Code From: 12 **Report To:** Maan Abdelghani
Code To: 12 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Issued: 18-Mar-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 680/811698 **Email:** maan.abdelghani@dangelobrand.ca
PO#: 47181

Sample Desc.: 12. Rinse water from Filler, Lot# 1:15:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	406

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhudheep Chandhok
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

D'Angelo BOD Lab Test

Mar-20

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time			
March 1, 2020	closed			
March 2, 2020	9 AM - 9 PM	8.6-7.8	0.02 -0.03	350-550 mg/L
March 3, 2020	9 AM - 9 PM	7.9-7.9	0.04 -0.05	425-450 mg/L
March 4, 2020	9 AM - 9 PM	8.3-7.8	0.06 -0.03	450-325 mg/L
March 5, 2020	9 AM - 9 PM	7.6-8.6	0.02 -0.03	750-700 mg/L
March 6, 2020	9 AM - 9 PM	9.2-7.6	0.07 -0.09	1000-950 mg/L
March 7, 2020	closed			
March 8, 2020	closed			
March 9, 2020	9 AM - 9 PM	7.9-8.2	0.04 -0.03	450-350 mg/L
March 10, 2020	9 AM - 9 PM	8.6-8.4	0.03 -0.04	980-1050 mg/L
March 11, 2020	9 AM - 9 PM	7.9-7.2	0.05-0.05	1000-850 mg/L
March 12, 2020	9 AM - 9 PM	8.6-9.2	0.04 -0.06	450-750 mg/L
March 13, 2020	9 AM - 9 PM	7.6-8.2	0.05-0.07	350-650 mg/L
March 14, 2020	closed			
March 15, 2020	closed			
March 16, 2020	9 AM - 9 PM	7.5-8.3	0.02 -0.05	750-850 mg/L
March 17, 2020	9 AM - 9 PM	7.9-8.5	0.04 -0.02	850-1000 mg/L
March 18, 2020	9 AM - 9 PM	9.6-7.6	0.02 -0.06	450-650 mg/L
March 19, 2020	9 AM - 9 PM	7.8-7.6	0.03 -0.04	550-650 mg/L
March 20, 2020	9 AM - 9 PM	8.9-7.9	0.06 -0.07	900-850 mg/L
March 21, 2020	closed			
March 22, 2020	closed			
March 23, 2020	9 AM - 9 PM	8.2-7.9	0.02 -0.04	650-750 mg/L
March 24, 2020	9 AM - 9 PM	9.1-8.6	0.01 -0.00	550-650 mg/L
March 25, 2020	9 AM - 9 PM	7.9-7.2	0.05 -0.04	650-750 mg/L
March 26, 2020	9 AM - 9 PM	7.6-8.1	0.03 -0.04	900-950 mg/L
March 27, 2020	9 AM - 9 PM	7.6-8.2	0.08 -0.06	550-950 mg/L
March 28, 2020	closed			
March 29, 2020	closed			
March 30, 2020	9 AM - 9 PM	8.2-8.3	0.08 -0.05	450-650 mg/L
March 31, 2020	9 AM - 9 PM	9.1-7.6	0.02 -0.01	850-650 mg/L

600-0
 727-50
 387-50
 725-0
 975-0
 600-0
 1065-0
 925-0
 600-0
 500-0
 600-0
 925-0
 530-0
 600-0
 875-0
 700-0
 600-0
 700-0
 925-0
 750-0
 530-0
 750-0
 685-91

139

Region of Peel
working with you

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

**Water, Wastewater and
Stormwater Service**

Account Number	
5854-1100-00	
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-701-8711
Caledon	905-584-2216

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

M

Bill Issue Date	2020-04-09
No. of Days Billed	34

Description

PREVIOUSLY BILLED AMOUNT
 PAYMENT RECEIVED WITH THANKS 2020-03-17
 PAYMENT RECEIVED WITH THANKS 2020-03-31
 PAYMENT RECEIVED WITH THANKS 2020-04-08
 LATE PAYMENT CHARGES
 BALANCE FORWARD
 SEWER APPEAL ADJUSTMENT
 WATER: 25,921m³ x 100% X \$1.47251
 WASTEWATER: 25,921m³ X 100% X \$1.13667
 STORMWATER CHARGE: 45.5 UNITS X \$0.2898907 x 21 DAYS
 STORMWATER CHARGE: 45.5 UNITS X \$0.2964384 x 9 DAYS
 TOTAL STORMWATER CHARGES

	\$ Amount
	\$264,786.91
	\$15,000.00 CR
	\$30,000.00 CR
	\$10,000.00 CR
	\$1,193.91
	\$210,980.82
	\$7,329.65 CR
	\$38,168.93
	\$29,463.62
	\$276.99
	\$121.39
	\$398.38

No late penalty on bills due from April 1-June 30. Water/Wastewater rate increase deferred to July 1st. To change Pre-authorized payment date call 905-791-8711 or e-mail ZZGPaymentsNew@peelregion.ca. Stormwater rate increased 2% effective April 1, 2020. A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read	Consumption
2020-04-08	34	25921m ³	762.382m ³	ACTUAL	2020-04-08	83857.5	654360	25921m ³
2020-03-05	27	22738m ³	842.148m ³					
2020-02-07	29	27731m ³	956.241m ³					
2020-01-09	23	20618m ³	896.435m ³					
2019-12-17	40	51766m ³	1294.150m ³					
2019-11-07	31	4982m ³	160.710m ³					
2019-10-07	31	34796m ³	1122.452m ³					
2019-09-06	31	30922m ³	997.484m ³					
								\$271,682.10
								Amount Due After
								2020-04-30
								\$273,042.72

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

273042722020043058541100002271682103

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$271,682.10
After This Date Pay This Amount	2020-04-30 \$273,042.72
Amount Paid	



GELDA SCIENTIFIC

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A
Pharmaceuticals
& Nutraceuticals

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.:	33.2	DAB	Date Reported:	29-Apr-20
Date Received:	20-Apr-20		Analysis Date:	21-Apr-20
Code From:	1		Report To:	Maan Abdelghani
Code To:	2		Tel:	905-238-6300 ext232
# of Samples:	1		Fax:	905-629-7081
Date Reported:	29-Apr-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO#	47272		Email:	maan.abdelghani@dangetobrand.com

9. Wastewater from City Manhole, Lot# 20/04/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1625

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Sandeep Choudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
320 Northwest Drive, Mississauga, Ontario, Canada L4W 1J7
www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 33.1	DAB	Date Reported: 15-Apr-20
Date Received: 06-Apr-20		Analysis Date: 07-Apr-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 15-Apr-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47211		Email: maan.abdelghani@dangelobrand.ca

9. Wastewater from City Manhole, Lot# 06/04/2020

Inorganic Chemistry (Water)

Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1850

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
520 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

142

April-20

D'Angelo BOD Lab Test

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
April 1, 2020	9 AM - 9 PM	7.4-8.2	0.07 -0.04	450-780 mg/L
April 2, 2020	9 AM - 9 PM	7.9-9.2	0.09 -0.09	1600-1100 mg/L
April 3, 2020	9 AM - 9 PM	8.6-8.6	0.07 -0.08	550-1000 mg/L
April 4, 2020	closed			
April 5, 2020	closed			
April 6, 2020	9 AM - 9 PM	8.12-7.4	0.06 -0.09	1200-550 mg/L
April 7, 2020	9 AM - 9 PM	8.1-7.5	0.07 -0.80	1600-1700 mg/L
April 8, 2020	9 AM - 9 PM	7.7-7.6	0.08 -0.6	850-950 mg/L
April 9, 2020	9 AM - 9 PM	8.4-7.9	0.08 -0.7	850-450 mg/L
April 10, 2020	9 AM - 9 PM	8.5-8.3	0.08 -0.06	960-1200 mg/L
April 11, 2020	closed			
April 12, 2020	closed			
April 13, 2020	9 AM - 9 PM	8.2-7.6	0.08 -0.9	350-650 mg/L
April 14, 2020	9 AM - 9 PM	8.1-8.3	0.09 -0.08	1200-1300 mg/L
April 15, 2020	9 AM - 9 PM	8.1-6.8	0.08 -0.09	780-950 mg/L
April 16, 2020	9 AM - 9 PM	7.5-6.8	0.04 -0.106	1800-1500 mg/L
April 17, 2020	9 AM - 9 PM	7.6-8.9	0.04 -0.03	850-1000 mg/L
April 18, 2020	closed			
April 19, 2020	closed			
April 20, 2020	9 AM - 9 PM	8.1-7.9	0.08 -0.07	1500-1700 mg/L
April 21, 2020	9 AM - 9 PM	7.8-7.3	0.09 -0.08	1000-1200 mg/L
April 22, 2020	9 AM - 9 PM	7.1-7.8	0.06 -0.07	1200-950 mg/L
April 23, 2020	9 AM - 9 PM	8.1-8.6	0.08 -0.9	950-550 mg/L
April 24, 2020	9 AM - 9 PM	8.9-9.1	0.03 -0.09	1100-890 mg/L
April 25, 2020	closed			
April 26, 2020	closed			
April 27, 2020	9 AM - 9 PM	7.4-7.5	0.07 -0.06	890-900 mg/L
April 28, 2020	9 AM - 9 PM	7.6-7.5	0.05 -0.06	900-750 mg/L
April 29, 2020	9 AM - 9 PM	7.4-7.6	0.07 -0.09	1200-1100 mg/L
April 30, 2020	9 AM - 9 PM	7.8-7.8	0.09 -0.07	750-850 mg/L

615-u
1350-u
715-u

875-u
1650-u
900-u
650-u
1650-u

500-u
1250-u
865-u
1650-u
950-u

1600-u
1100-u
1075-u
750-u
995-u

895-u
825-u
1150-u
800-u

Dr. 1012-54

143

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Stormwater Service

5854-1100-00

Billing Inquiries - 8:30 a.m. - 4:30 p.m.
Monday to Friday
Brampton/Mississauga 905-791-87
Caledon 905-564-221

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Bill Issue Date	2020-05-11
No. of Days Billed	28

Description

PREVIOUSLY BILLED AMOUNT
PAYMENT RECEIVED WITH THANKS 2020-04-16
PAYMENT RECEIVED WITH THANKS 2020-04-24
PAYMENT RECEIVED WITH THANKS 2020-04-27
PAYMENT RECEIVED WITH THANKS 2020-04-29
PAYMENT RECEIVED WITH THANKS 2020-05-01
BALANCE FORWARD
COLLECTION TURN-OFF CHARGE
COLLECTION TURN-ON CHARGE
SEWER APPEAL ADJUSTMENT
WATER: 24,398m³ x 100% x \$1.47251
WASTEWATER: 24,398m³ x 100% x \$1.13667
STORMWATER CHARGE: 45.5 UNITS x \$0.2964384 x 32 DAYS

\$ Amount
\$271,682.10
\$15,000.00 CR
\$55,000.00 CR
\$10,000.00 CR
\$15,000.00 CR
\$108,652.17 CR
\$68,029.93
\$90.00
\$90.00
\$8,355.88 CR
\$35,926.30
\$27,732.47
\$431.61


No late penalty on bills due from April 1-June 30. Water/Wastewater rate increase deferred to July 1st. To change Pre-authorized payment date call 905-791-8711 or e-mail ZZGPaymentsNew@peelregion.ca. Stormwater rate increased 2% effective April 1, 2020
A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Read Type	Current Bill			Amount Now Due	
Read Date	Days Billed	Consumption	Average Daily Consumption		Date	Regular Read	Large Read	Consumption	
2020-05-06	28	24398m ³	871.357m ³	ACTUAL	2020-05-06	85850.5	676765	24398m ³	\$123,944.43
2020-04-08	34	25921m ³	762.382m ³						Amount Due After
2020-03-05	27	22738m ³	842.148m ³						2020-06-01
2020-02-07	29	27731m ³	956.241m ³						\$125,226.24
2020-01-09	23	20618m ³	896.435m ³						
2019-12-17	40	51766m ³	1294.150m ³						
2019-11-07	31	4982m ³	160.710m ³						
2019-10-07	31	34796m ³	1122.452m ³						

Please Retain This Portion for Your Records

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

125226242020060158541100002123944430

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$123,944.43
After This Date Pay This Amount	2020-06-01 \$125,226.24
Amount Paid	



GELDA SCIENTIFIC

Tel: (905) 673-9820 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.:	34.1	DAB	Date Reported:	19-May-20
Date Received:	11-May-20		Analysis Date:	12-May-20
Code From:	1		Report To:	Maan Abdelghani
Code To:	2		Tel:	905-238-6300 ext232
# of Samples:	1		Fax:	905-629-7081
Date Reported:	19-May-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO#	47406		Email:	maan.abdelghani@dangelobrands.ca

9. Wastewater from City Manhole, Lot# 11/05/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1022

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damian Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
10 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SQP 10.1 See statements on reverse side.

145

Region of Peel
working with you

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

**Water, Wastewater and
Stormwater Service**

Account Number	
5854-1100-00	
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga	905-791-8711
Caledon	905-584-2216

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

M

Bill Issue Date	2020-06-09
No. of Days Billed	29

Description

PREVIOUSLY BILLED AMOUNT
 PAYMENT RECEIVED WITH THANKS 2020-05-14
 PAYMENT RECEIVED WITH THANKS 2020-05-20
 PAYMENT RECEIVED WITH THANKS 2020-05-29
 PAYMENT RECEIVED WITH THANKS 2020-06-08
 BALANCE FORWARD
 SEWER APPEAL ADJUSTMENT
 WATER: 24,534.5m³ x 100% X \$1.47251
 WASTEWATER: 24,534.5m³ X 100% X \$1.13667
 STORMWATER CHARGE: 45.5 UNITS X \$0.2964384 x 29 DAYS

\$ Amount

\$123,944.43
 \$15,000.00 CR
 \$15,000.00 CR
 \$15,000.00 CR
 \$14,854.05 CR
 \$64,090.38
 \$7,864.93 CR
 \$36,127.30
 \$27,887.63
 \$391.15

No late penalty on bills due from April 1-June 30. Water/Wastewater rate increase deferred to July 1st. To change Pre-authorized payment date call 905-791-8711 or e-mail ZZGPaymentsNew@peelregion.ca. Stormwater rate increased 2% effective April 1, 2020
 A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Read Type	Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption		Date	Regular Read	Large Read	Consumption	
2020-06-04	29	24534m ³	846.000m ³	ACTUAL	2020-06-04	87905	599245	24534.5m ³	\$120,631.53
2020-05-06	28	24398m ³	871.357m ³						Amount Due After
2020-04-08	34	25921m ³	762.382m ³						2020-06-30
2020-03-05	27	22738m ³	842.148m ³						\$121,919.65
2020-02-07	29	27731m ³	956.241m ³						
2020-01-09	23	20618m ³	896.435m ³						
2019-12-17	40	51766m ³	1294.150m ³						
2019-11-07	40	4982m ³	124.550m ³						

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

121919652020063058541100002120631531

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$120,631.53
After This Date Pay This Amount	2020-06-30 \$121,919.65
Amount Paid	

146

May-20

D'Angelo BOD-Lab Test

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
May 1, 2020	8 AM - 9 PM	7.9-8.1	0.02 -0.02	350-549 mg/L
May 2, 2020	closed			
May 3, 2020	closed			
May 4, 2020	9 AM - 9 PM	8.2-7.5	0.07 -0.04	650-750 mg/L
May 5, 2020	9 AM - 9 PM	7.9-8.1	0.03 -0.07	890-750 mg/L
May 6, 2020	9 AM - 9 PM	7.9-7.8	0.03 -0.06	850-900 mg/L
May 7, 2020	9 AM - 9 PM	7.9-7.4	0.06 -0.05	1000-1200 mg/L
May 8, 2020	9 AM - 9 PM	8.1-7.9	0.08 -0.07	790-800 mg/L
May 9, 2020	closed			
May 10, 2020	closed			
May 11, 2020	9 AM - 9 PM	7.8-7.9	0.06-0.07	1050-850 mg/L
May 12, 2020	9 AM - 9 PM	8.1-7.3	0.07 -0.07	450-800 mg/L
May 13, 2020	9 AM - 9 PM	8.2-8.9	0.06-8 -0.07	1000-950 mg/L
May 14, 2020	9 AM - 9 PM	8.2-8.4	0.08 -0.08	900-850 mg/L
May 15, 2020	9 AM - 9 PM	7.6-8.4	0.07 -0.39	900-1000 mg/L
May 16, 2020	closed			
May 17, 2020	closed			
May 18, 2020	9 AM - 9 PM	8.9-7.6	0.04 -0.05	750-550 mg/L
May 19, 2020	9 AM - 9 PM	7.8-7.6	0.03 -0.04	650-700 mg/L
May 20, 2020	9 AM - 9 PM	8.1-7.6	0.06 -0.07	900-850 mg/L
May 21, 2020	9 AM - 9 PM	7.5-7.9	0.06 -0.08	850-860 mg/L
May 22, 2020	9 AM - 9 PM	7.9-7.9	0.02 -0.06	860-750 mg/L
May 23, 2020	closed			
May 24, 2020	closed			
May 25, 2020	9 AM - 9 PM	7.5-7.1	0.06 -0.05	650-700 mg/L
May 26, 2020	9 AM - 9 PM	5.9-7.5	0.04 -0.06	850-950 mg/L
May 27, 2020	9 AM - 9 PM	6.7-7.6	0.09 -0.07	450-800 mg/L
May 28, 2020	9 AM - 9 PM	7.5-7.1	0.05 -0.03	600-800 mg/L
May 29, 2020	9 AM - 9 PM	7.9-8.1	0.07 -0.06	600-450 mg/L
May 30, 2020	closed			

449.50

700.0
820.0
875.0
1100.0
795.0

750.0
625.0
975.0
875.0
950.0

650.0
675.0
875.0
855.0
805.0

675.0
900.0
625.0
700.0
525.0

781



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic #100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.2
Date Received: 8-June-20
Code From: 1
Code To: 2
of Samples: 2
Date Reported: 17-June-20
PO# 47610

DAB Date Reported: 17-June-20
Analysis Date: 9-June-20
Report To: Mann Abdelghani
Tel: 905-238-6300 ext232
Fax: 905-629-7081
Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Email: maan.abdelghani@dangelobrand.ca

9. Wastewater from City Manhole, Lot# 08/06/2020

Inorganic Chemistry (Water)

Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1550

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Simone Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumana Gulati/Bhaskar Chaudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
17 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

June-20

D'Angelo BOD Lab Test

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
June 1, 2020	9 AM - 9 PM	7.6-9.2	0.03 -0.09	890-900 mg/L
June 2, 2020	9 AM - 9 PM	8.9-6.8	0.01 -0.00	100-1100 mg/L
June 3, 2020	9 AM - 9 PM	7.9-5.9	0.07 -0.06	980-1200 mg/L
June 4, 2020	10 AM - 9 PM	7.6-8.1	0.03 -0.06	550-650 mg/L
June 5, 2020	11 AM - 9 PM	7.6-8.2	0.09 -0.06	550-850 mg/L
June 6, 2020	closed			
June 7, 2020	closed			
June 8, 2020	9 AM - 9 PM	7.8-7.6	0.04 -0.03	65-1200 mg/L
June 9, 2020	9 AM - 9 PM	8.1-7.9	0.04 -0.06	980-1050 mg/L
June 10, 2020	9 AM - 9 PM	7.6-7.7	0.05-0.05	1200-1600 mg/L
June 11, 2020	10 AM - 9 PM	8.1-7.9	0.07 -0.06	1600-1200 mg/L
June 12, 2020	11 AM - 9 PM	7.4-8.1	0.05 -0.07	1200-950 mg/L
June 13, 2020	closed			
June 14, 2020	closed			
June 15, 2020	14 AM - 9 PM	7.1-7.2	0.07 -0.08	950-750 mg/L
June 16, 2020	15 AM - 9 PM	7.9-7.6	0.09-0.09	1600-1200 mg/L
June 17, 2020	16 AM - 9 PM	8.1-7.9	0.06 -0.04	1200-1600 mg/L
June 18, 2020	17 AM - 9 PM	8.2-7.9	0.05 -0.04	1200-750 mg/L
June 19, 2020	18 AM - 9 PM	7.5-7.9	0.04 -0.06	1000-1300 mg/L
June 20, 2020	closed			
June 21, 2020	closed			
June 22, 2020	21 AM - 9 PM	7.8-7.9	0.08 -0.09	900-852 mg/L
June 23, 2020	22 AM - 9 PM	8.1-8.9	0.07 -0.09	1100-1300 mg/L
June 24, 2020	23 AM - 9 PM	6.8-7.1	0.02 -0.05	1050-1200 mg/L
June 25, 2020	24 AM - 9 PM	8.2-7.9	0.09 -0.06	980-950 mg/L
June 26, 2020	25 AM - 9 PM	7.5-7.4	0.05 -0.06	950-1100 mg/L
June 27, 2020	closed			
June 28, 2020	closed			
June 29, 2020	28 AM - 9 PM	7.6-7.8	0.09 -0.05	1100-980 mg/L
June 30, 2020	29 AM - 9 PM	7.9-7.6	0.06 -0.05	950-1300 mg/L

895-u
65-u
1090-u
65-u
70-u


632-u
1015-u
1400-u
1400-u
1025-u

850-u
1400-u
1400-u
975-u
1150-u

876-u
1200-u
1125-u
965-u
1025-u

1040-u
1125-u

Av. 1024-50



working with you
P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

149

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga Caledon	905-791-8711 905-584-2216

Service Address

2156775 ONTARIO INC 4500 EASTGATE PKY MISSISSAUGA ON L4W 3W6
--

Bill Issue Date	2020-07-10
No. of Days Billed	33

Description

PREVIOUSLY BILLED AMOUNT
 PAYMENT RECEIVED WITH THANKS 2020-06-19
 PAYMENT RECEIVED WITH THANKS 2020-07-10
 BALANCE FORWARD
 SEWER APPEAL ADJUSTMENT
 WATER: 20,858.697m³ x 100% X \$1.47251
 WATER: 5,615.803m³ x 100% X \$1.598
 TOTAL WATER CHARGES \$30,714.64
 WASTEWATER: 20,858.697m³ X 100% X \$1.13667
 WASTEWATER: 5,615.803m³ X 100% X \$1.2033
 TOTAL WASTEWATER CHARGES \$8,974.05
 STORMWATER CHARGE: 45.5 UNITS X \$0.2964384 x 31 DAYS \$23,709.46
 \$6,757.50

\$ Amount
\$120,631.53
\$10,000.00 CR
\$15,000.00 CR
\$95,631.53
\$7,808.54 CR
\$39,688.69
\$30,466.96
\$418.13

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Read Type	Current Bill			Amount Now Due	
Read Date	Days Billed	Consumption	Average Daily Consumption		Date	Regular Read	Large Read	Consumption	
2020-07-07	33	26474m ³	802.242m ³	ACTUAL	2020-07-07	90379.5	723245	26474.5m ³	\$158,396.77
2020-06-04	29	24534m ³	846.000m ³						Amount Due After
2020-05-06	28	24398m ³	871.357m ³						2020-07-31
2020-04-08	34	25921m ³	762.382m ³						\$159,808.24
2020-03-05	27	22738m ³	842.148m ³						
2020-02-07	29	27731m ³	956.241m ³						
2020-01-09	23	20618m ³	896.435m ³						
2019-12-17	23	51766m ³	2250.696m ³						

Please Retain This Portion for Your Records
 Please Return This Stub With Your Payment

HST No. 119407187RT When Applicable



working with you
P.O. Box 4512, Station A
Toronto, ON M5W 4L4

159808242020073158541100002158396777

Service Address
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address
2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$158,396.77
Ate/This Date Pay This Amount	2020-07-31 \$159,808.24
Amount Paid	



GELDA SCIENTIFIC

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A
Pharmaceuticals
& Nutraceuticals

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.6

DAB

Date Reported: 14-Jul-20

Date Received: 06-Jul-20

Analysis Date: 07-Jul-20

Code From: 1

Report To: Maan Abdelghani

Code To: 2

Tel: 905-238-6300 ext232

of Samples: 2

Fax: 905-629-7081

Date Reported: 14-Jul-20

Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

PO# 47696

Email: maan.abdelghani@dangelobrand.ca

9. Wastewater from City Manhole, Lot# 06/07/2020

Inorganic Chemistry (Water)

Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1580

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Blaise de la Chevillotte
Microbiologist

Gelda Scientific and Industrial Development Corporation
10 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

D'Angelo BOD Lab-Test

Jul-20


Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
July 1, 2020	closed			
July 2, 2020	9 AM - 9 PM	7.6-7.9	0.06 -0.06	1000-1200 mg/L
July 3, 2020	9 AM - 9 PM	8.5-7.6	0.05 -0.06	890-850 mg/L
July 4, 2020	closed			
July 5, 2020	closed			
July 6, 2020	9 AM - 9 PM	8.6-8.4	0.06 -0.08	450-890 mg/L
July 7, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.5	900-600 mg/L
July 8, 2020	9 AM - 9 PM	7.9-8.3	0.07 -0.09	1200-1600 mg/L
July 9, 2020	9 AM - 9 PM	7.9-8.5	0.05 -0.06	1700-650 mg/L
July 10, 2020	9 AM - 9 PM	8.5-8.6	0.05 -0.07	1700-650 mg/L
July 11, 2020	closed			
July 12, 2020	closed			
July 13, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.06	560-950 mg/L
July 14, 2020	9 AM - 9 PM	8.2-8.3	0.05 -0.09	1000-1200 mg/L
July 15, 2020	9 AM - 9 PM	7.6-8.4	0.09 -0.07	980-1200 mg/L
July 16, 2020	9 AM - 9 PM	7.6-7.1	0.03 -0.07	750-850 mg/L
July 17, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.03	1700-1200 mg/L
July 18, 2020	closed			
July 19, 2020	closed			
July 20, 2020	9 AM - 9 PM	7.6-7.8	0.08 -0.09	1000-1500 mg/L
July 21, 2020	9 AM - 9 PM	8.1-7.9	0.07 -0.05	900-851 mg/L
July 22, 2020	9 AM - 9 PM	8.9-7.4	0.08 -0.09	1600-1020 mg/L
July 23, 2020	9 AM - 9 PM	7.3-7.2	0.07 -0.10	1000-1100 mg/L
July 24, 2020	9 AM - 9 PM	8.8-7.9	0.04 -0.06	550-650 mg/L
July 25, 2020	closed			
July 26, 2020	closed			
July 27, 2020	9 AM - 9 PM	7.6-8.2	0.08 -0.07	1500-1200 mg/L
July 28, 2020	9 AM - 9 PM	7.1-7.2	0.07 -0.08	950-1200 mg/L
July 29, 2020	9 AM - 9 PM	7.5-7.9	0.09 -0.06	1000-1200 mg/L
July 30, 2020	9 AM - 9 PM	7.5-8.5	0.05 -0.06	850-650 mg/L
July 31, 2020	9 AM - 9 PM	7.9-7.8	0.05 -0.07	1600-1700 mg/L

Handwritten notes on the right side of the table, including values like 1100, 870, 670, 730, 1400, 1175, 1175, 755, 1100, 1090, 900, 1450, 1200, 875, 1300, 1050, 600, 1250, 1025, 1100, 750, 1600.

Dr. 1061.16

152



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: B9V1386
Report Date: 2019/11/12
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: CK
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		LFM871	
Sampling Date		2019-11-05	
COC Number		na	
Parameter	Units	9794A-SX	Sewer Use Limit
pH		4.22	5.5 - 10
CBOD5	mg/L	6000	300
Total Phosphorus	mg/L	0.92	10
SEM - Mineral/Synthetic	mg/L	10	15
SEM - Animal/Vegetable	mg/L	15	150
Total Suspended Solids	mg/L	86	350

Inspector's Comments:

On Surcharge

Reviewed By:

Erin Darling
ERIN DARLING


Date:

2019-11-20

*SURCHARGE-2ND SAMPLE-4TH QUARTER 2019

Date Printed:

November 18, 2019



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: B9Y0888
Report Date: 2019/12/10
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: DB
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		LMA907		
Sampling Date		2019-12-03		
COC Number		na		
Parameter	Units	9794A-SX		Sewer Use Limit
Field pH		7.82		5.5 - 10
CBOD5	mg/L	1500		300
Total Phosphorus	mg/L	0.71		10
SEM - Mineral/Synthetic	mg/L	4.1		15
SEM - Animal/Vegetable	mg/L	13		150
Total Suspended Solids	mg/L	37		350

Inspector's Comments:

Reviewed By:

[Signature]
BILL FORD

Date:


[Signature]
Dec 12/19

*SURCHARGE-3RD SAMPLE-4TH QUARTER 2019

Date Printed:

December 11, 2019

154



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: C027106
Report Date: 2020/02/05
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: CK
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		LXC702	
Sampling Date		2020-01-30	
COC Number		N/A	
Parameter	Units	9794A-SX	Sewer Use Limit
Field pH		7.40	5.5 - 10
CBOD5	mg/L	1100	300
Total Phosphorus	mg/L	0.66	10
SEM - Mineral/Synthetic	mg/L	6.0	15
SEM - Animal/Vegetable	mg/L	12	150
Total Suspended Solids	mg/L	130	350

Inspector's Comments:

Reviewed By:

Bill Ford
BILL FORD

Date: Feb 11 / 20

*SURCHARGE-1ST SAMPLE-1ST QUARTER 2020

Date Printed:
February 11, 2020

155



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: C046622
Report Date: 2020/02/27
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: CK
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		MBG847	
Sampling Date		2020-02-20	
COC Number		na	
Parameter	Units	9794A-SX	Sewer Use Limit
pH		4.18	5.5 - 10
CBOD5	mg/L	4900	300
Total Phosphorus	mg/L	1.5	10
SEM - Mineral/Synthetic	mg/L	3.8	15
SEM - Animal/Vegetable	mg/L	11	150
Total Suspended Solids	mg/L	240	350

Inspector's Comments:

pH low

Reviewed By:

Bill Ford
BILL FORD


Date:

MAR 2 / 20

*SURCHARGE-2ND SAMPLE-1ST QUARTER 2020

Date Printed:
March 2, 2020

156



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6


BV Labs Job #: C073895
Report Date: 2020/03/26
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: MD
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		MHC221	
Sampling Date		2020-03-19	
COC Number		na	
Parameter	Units	9794A-SX	Sewer Use Limit
Field pH		6.64	5.5 - 10
CBODS	mg/L	1000	300
Total Phosphorus	mg/L	0.86	10
SEM - Mineral/Synthetic	mg/L	3.3	15
SEM - Animal/Vegetable	mg/L	5.7	150
Total Suspended Solids	mg/L	130	350

Inspector's Comments: _____

Reviewed By:

FOR BILL FORD  Date: 2020.03.30

*SURCHARGE-3RD SAMPLE-1ST QUARTER 2020

Date Printed:
March 30, 2020



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: C096740

Report Date: 2020/04/27
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: MD
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		MLW330	
Sampling Date		2020-04-17	
COC Number		N/A	
Parameter	Units	9794A-SX	Sewer Use Limit
pH		5.27	5.5 - 10
CBOD5	mg/L	3300	300
Total Phosphorus	mg/L	0.81	10
SEM - Mineral/Synthetic	mg/L	1.4	15
SEM - Animal/Vegetable	mg/L	7.3	150
Total Suspended Solids	mg/L	89	350

Inspector's Comments:

low pH

Reviewed By:

[Signature]
BILL FORD

Date:

Apr 30/20

*SURCHARGE-1ST SAMPLE-2ND QUARTER 2020

Date Printed:
April 28, 2020

158



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: C089943
Report Date: 2020/05/25
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: MD
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		MQM746		
Sampling Date		2020-05-15		
COC Number		na		
Parameter	Units	9794A-SX		Sewer Use Limit
pH		4.52		5.5 - 10
CBOD5	mg/L	890		300
Total Phosphorus	mg/L	0.37		10
SEM - Mineral/Synthetic	mg/L	30		15
SEM - Animal/Vegetable	mg/L	22		150
Total Suspended Solids	mg/L	37		350

Inspector's Comments:

[Handwritten signature]

Reviewed By:

[Handwritten signature]

Date:

May 29 20

BILL FORD

*SURCHARGE-2ND SAMPLE-2ND QUARTER 2020

Date Printed:
May 28, 2020

159



Pollution Control Wastewater Bylaw Enforcement Report

BV Labs Job #: COF0091

Report Date: 2020/06/24

Bureau Veritas Laboratories

Client Project#:

Site Location: 9794A-SX*

Sampler Initials: MB

INS.REF.: A

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

RESULTS OF ANALYSES OF WATER

BV Labs ID		MWY590	
Sampling Date		2020-06-17	
COC Number		n/a	
Parameter	Units	9794A-SX	Sewer Use Limit
pH		4.40	5.5 - 10
CBOD5	mg/L	2500	300
Total Phosphorus	mg/L	0.51	10
SEM - Mineral/Synthetic	mg/L	34	15
SEM - Animal/Vegetable	mg/L	74	150
Total Suspended Solids	mg/L	49	350

Inspector's Comments:

low pH

Reviewed By:


[Signature]
BILL FORD

Date:

7/12/20

*SURCHARGE-3RD SAMPLE-2ND QUARTER 2020

Date Printed:
June 25, 2020



Pollution Control Wastewater Bylaw Enforcement Report

BV Labs Job #: C014470

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

Report Date: 2020/07/28
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: MD
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		NEH669	
Sampling Date		2020-07-22	
COC Number		NA	
Parameter	Units	9794A-SX	Sewer Use Limit
pH		4.17	5.5 - 10
CBOD5	mg/L	2400	300
Total Phosphorus	mg/L	0.76	10
SEM - Mineral/Synthetic	mg/L	12	15
SEM - Animal/Vegetable	mg/L	14	150
Total Suspended Solids	mg/L	73	350

Inspector's Comments:

low pH

Reviewed By:

[Signature]
BILL FORD

Date:

Aug 1st 2020

*SURCHARGE-1ST SAMPLE-3RD QUARTER 2020

Date Printed:
August 5, 2020

This is **Exhibit "I"** referred to in the
Affidavit of Frank D'Angelo
sworn before me this 12th day of
July, 2023



A Commissioner, etc.



162



Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

Company: **D'Angelo (2156775 Ontario Inc.)**
4544 Eastgate Parkway
Mississauga, Ontario L4W 3W6
Phone: (905) 238-6300 Fax: (905) 629-7081

Attention: **Maan Abdelghani**
RE: *Surcharge Study*

D'ANGELO

2156775 Ontario Inc.

CITY OF MISSISSAUGA

**SANITARY SEWER CALCULATION SUMMARY
REPORT**

Aug 2020 – Oct 2020

163



Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

TABLE OF CONTENTS

<i>Section No.</i>	<i>Page No.</i>
1.0 INTRODUCTION	3
2.0 SANITARY SEWER COST CALCULATION	4
3.0 DOCUMENTATION	5

164



Swara Controls Inc.

*123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154*

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

1.0 INTRODUCTION

D'Angelo brands appointed Shailesh Patel, P.Eng from Swara Controls Inc. to review water bills, BOD reports from Peel region, BOD reports from Gelda Lab and perform BOD surcharges calculations. All data has been backed with data supplied by D'Angelo Brands. Swara Controls Inc. is not responsible for authenticity of the data.

165



Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

2.0 SANITARY SEWER COST CALCULATION

1. Cost calculation based on City sample reading taken by Region of Peel

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD read by Region of Peel Sample	Water Surcharge Calculated \$ Amount
1	Aug 2020	28536	0.71	20280	16	\$ 119,408
2	Sept 2020	32032	0.71	22742	3	\$ 25,104
3	Oct 2020	30470	0.71	21634	11.67	\$ 92,882


Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

2. Cost calculation based on sample reading taken by plant and BOD calculated by third party Gelda Scientific

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD by Gelda Scientific	Water Surcharge Calculated \$ Amount
1	August 2020	28536	0.71	20280	4.83	\$ 36,071
2	Sept 2020	32032	0.71	22742	-0.26	\$ 0.00
3	Oct 2020	30470	0.71	21634	2.023	\$ 16,108

Sr. No	Month	Average BOD by Gelda Scientific
1	August 2020	1750
2	Sept 2020	223
3	Oct 2020	907

167



Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

3. Cost calculation based on sample reading taken by plant and BOD Average calculated by third party Gelda Scientific and plant lab personnel

Sr. No	Month	Incoming Water to Plant (m3)	Shrinkage Factor	Outgoing Water to city (m3)	F value as per BOD by Gelda Scientific	Water Surcharge Calculated \$ Amount
1	August 2020	28536	0.71	20280	3.65	\$ 27,215
2	Sept 2020	32032	0.71	22742	0.765	\$ 6,402
3	Oct 2020	30470	0.71	21634	1.79	\$ 14,224

Sr. No	Month	Average BOD by Gelda Scientific and Plant Lab Testing
1	August 2020	1394
2	Sept 2020	529.5
3	Oct 2020	836

168



Swara Controls Inc.

123 Leadership Dr
Brampton, Ont. L6Y 5T3
Tel: (647) 274-1154

Fax: (905) 230-5540

SURCHARGE STUDY

Date: 12 November 2020

3.0 DOCUMENTATION

1. Water Bills from the Region of Peel
2. Region of Peel Sample BOD Reading document
3. Gelda Scientific (Independent third party) BOD calculation based on sample supplied
4. Plant Lab BOD calculation (Average)

Shalabh, P. Eng
Nov 12/2020

August

169



Region of Peel
working with you

reg 003

Water, Wastewater and
Stormwater Service

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Post-d: 25 Aug '20

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga Caledon	905-791-8711 905-584-2216

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Re-posted: 19 Oct '20

Bill Issue Date	2020-08-12
No. of Days Billed	31

Description

PREVIOUSLY BILLED AMOUNT
 PAYMENT RECEIVED WITH THANKS 2020-07-24
 PAYMENT RECEIVED WITH THANKS 2020-08-06
 LATE PAYMENT CHARGES
 BALANCE FORWARD
 SEWER APPEAL ADJUSTMENT
 WATER: 28,536m³ x 100% x \$1.598
 WASTEWATER: 28,536m³ x 100% x \$1.2033
 STORMWATER CHARGE: 45.5 UNITS x \$0.2964384 x 33 DAYS

July 8 - Aug 7

\$158,396.77
 \$12,000.00 CR
 \$15,000.00 CR
 \$1,411.47 (+)
 \$132,808.24
 \$8,835.41 CR
 \$45,600.53
 \$34,337.37
 \$445.10

\$73,959.06

For more information go to www.stormwatercharge.ca

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read	Consumption
2020-08-07	31	28536m ³	920.516m ³	ACTUAL	2020-08-07	92700.5	749460	28536m ³
2020-07-07	33	26474m ³	802.242m ³					
2020-06-04	29	24534m ³	846.000m ³					
2020-05-06	28	24398m ³	871.357m ³					
2020-04-08	34	25921m ³	762.382m ³					
2020-03-05	27	22738m ³	842.148m ³					
2020-02-07	29	27731m ³	956.241m ³					
2020-01-09	29	20618m ³	710.966m ³					
								\$204,355.83
								Amount Due After 2020-09-02
								\$205,963.49

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment

Please Do Not Staple, Fold or Use Paper Clips.
Payment may be made at most financial institutions.



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

205963492020090258541100002204355831

Service Address

4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

004513 000000006
2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$204,355.83
After This Date Pay This Amount	2020-09-02 \$205,963.49
Amount Paid	

002223 9001

96

170



22-Sep-20

2156775 Ontario Inc. O/A D'Angelo Brands
4500 Eastgate Parkway
Mississauga, ON
L4W 3W6

ATTENTION: George Runaghan

MONTHLY SEWAGE DISCHARGE INVOICE AS PER AGREEMENT
FOR AUGUST 2020

Invoice Description	HST	AMOUNT
SURCHARGE = F x Q x R		
Where F= 15.00 ; Q= 20.28 ; R= Thousand Cubic Meters and R=		\$ 368.00
Total Surcharge Calculated		\$119,408.64
COSTS FOR SURVEYS		
LABOUR: 1 Surveys, 2 manhours and 24 samplers hours each		
1 hours @ \$ 175.00	\$22.75	\$175.00
EQUIPMENT: 24 hours @ \$ 3.00	\$9.36	\$72.00
ANALYSIS:		
1 CBOD @ \$ 28.97		\$28.97
1 Suspended Solids @ \$ 14.25		\$14.25
1 Phosphorus @ \$ 24.00		\$24.00
	Subtotal:	\$119,722.86
	HST:	\$32.11
	TOTAL AMOUNT DUE:	\$119,754.97

If you have any questions please call (905) 791-7800, Extension 3108.

171

Region of Peel INVOICE

The Regional Municipality of Peel
Accounts Receivable
PO Box 458
Brampton, ON L6V 2L4

REG 008
Posted: 30 Sept. 2020

Invoice No:	243006
Invoice Date: YYMMDD	2020/09/28
Terms:	NET 30-DAYS
Interest Rate on Overdue Accounts	1.50% per month 18.00% per annum
Inquiries:	(905)791-7800 Ext. 4279
Police:	(905)453-2121 Ext. 4210 zzg-arinvolcing@peelregion.ca

Customer Account No. 2156ONT001

Customer Address:

2156775 ONTARIO INC.
O/A D'ANGELO BRANDS LTD.
4500 EASTGATE PKWY
MISSISSAUGA ON L4W 3W6

Description	\$ Amount
ATTENTION: GEORGE RUNAGHAN	
SEWAGE DISCHARGE INVOICE AS PER AGREEMENT FOR AUGUST 2020	
TOTAL CALCULATED	\$119,722.86
Sub Total: \$119,722.86 HST: \$32.11 Total: \$119,754.97	

Errors and Omissions Excepted
HST No. 119407187RT

Please retain this portion for your records

Please return this portion with your payment

Invoice.No: 243006
Invoice Date: 2020/09/28
YYMMDD

Please make payment to the Region of Peel

Customer Account No. 2156ONT001

Region of Peel

The Regional Municipality of Peel
Accounts Receivable
PO Box 458
Brampton, ON L6V 2L4

Amount Due: \$119,754.97

Amount Paid: _____

Customer Address:

2156775 ONTARIO INC.
O/A D'ANGELO BRANDS LTD.
4500 EASTGATE PKWY
MISSISSAUGA ON L4W 3W6

172



BV Labs Job #: COL2449
 Report Date: 2020/08/25

Region of Peel
 Site Location: 9794A-SX
 Your P.O. #: 57043-IW
 Sampler Initials: MB

RESULTS OF ANALYSES OF WASTE WATER

BV Labs ID			NKK563			NKK564	
Sampling Date			2020/08/19 07:29			2020/08/19 07:29	
COC Number			na			na	
	UNITS	Criteria	9794A-SX	RDL	QC Batch	9794A-SX-PH	QC Batch
Calculated Parameters							
Total Animal/Vegetable Oil and Grease	mg/L	150	24	0.50	6897784		
Field Measurements							
Field Temperature	Celsius	-	35.3	N/A	ONSITE		
Inorganics							
Total Carbonaceous BOD	mg/L	300	5100	2	6899715		
pH	pH	5.5:10.0				5.26	6901033
Total Phosphorus	mg/L	10	0.57	0.10	6903023		
Total Suspended Solids	mg/L	350	76	10	6901878		
Petroleum Hydrocarbons							
Total Oil & Grease	mg/L	-	40	0.50	6902249		
Total Oil & Grease Mineral/Synthetic	mg/L	15	16	0.50	6902253		
No Fill	No Exceedance						
Grey	Exceeds 1 criteria policy/level						
Black	Exceeds both criteria/levels						
RDL = Reportable Detection Limit							
QC Batch = Quality Control Batch							
Criteria: The Regional Municipality of Peel Sanitary Sewer Discharge.							
By-Law Number 53-2010.							
N/A = Not Applicable							

173



Your P.O. #: 57043-IW
Site#: 9794A-SX
Site Location: 9794A-SX
Your C.O.C. #: na

Attention: Elaine Gilliland
Region of Peel
Industrial Waste
3515 Wolfedale Rd
Mississauga, ON
CANADA L5C 1V8

Report Date: 2020/08/25
Report #: R6306455
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BV LABS JOB #: C0L2449
Received: 2020/08/19, 16:10

Encryption Key *Heba Gamal*
Heba Gamal
Project Manager
25 Aug 2020 17:32:59

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Heba Gamal, Project Manager
Email: Heba.Gamal@bvlab.com
Phone# (905)817-5813

=====
BV Labs has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

174

D'Angelo BOD Lab Test

Average

800 mg/L

August-20

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
August 1, 2020	closed			
August 2, 2020	closed			
August 3, 2020	closed			
August 4, 2020	9 AM - 9 PM	6.9-8.8	0.02 -0.05	400-720 mg/L
August 5, 2020	9 AM - 9 PM	9.1-7.6	0.05 -0.08	1500-860 mg/L
August 6, 2020	9 AM - 9 PM	7.9-7.5	0.05 -0.08	650-750 mg/L
August 7, 2020	9 AM - 9 PM	7.9-8.5	0.05 -0.09	425-454 mg/L
August 8, 2020	closed			
August 9, 2020	closed			
August 10, 2020	9 AM - 9 PM	8.6-7.5	0.05 -0.06	980-1050 mg/L
August 11, 2020	9 AM - 9 PM	8.1-9.2	0.05 -0.07	1000-1200 mg/L
August 12, 2020	9 AM - 9 PM	7.6-7.9	0.05 -0.08	980-1052 mg/L
August 13, 2020	9 AM - 9 PM	7.6-7.9	0.09 -0.10	850-750 mg/L
August 14, 2020	9 AM - 9 PM	7.8-7.9	0.04 -0.07	350-651 mg/L
August 15, 2020	closed			
August 16, 2020	closed			
August 17, 2020	9 AM - 9 PM	8.1-7.9	0.04 -0.03	850-1000 mg/L
August 18, 2020	9 AM - 9 PM	8.1-7.9	0.04 -0.03	850-1000 mg/L
August 19, 2020	closed City shut off Water			
August 20, 2020	closed City shut off Water			
August 21, 2020	closed City shut off Water			
August 22, 2020	closed City shut off Water			
August 23, 2020	closed			
August 24, 2020	9 AM - 9 PM	7.6-7.6	0.01 -0.00	890-100 mg/L
August 25, 2020	9 AM - 9 PM	7.8	0.01 -0.01	680-750 mg/L
August 26, 2020	9 AM - 9 PM	8.7	0.01 -0.02	800-1200 mg/L
August 27, 2020	9 AM - 9 PM	7.4-7.6	0.08 -0.06	890-900 mg/L
August 28, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.07	550-951 mg/L
August 29, 2020	closed			

560
 1180
 700
 437.50
 ↓
 1015
 1100
 1016
 800
 500.5
 925
 925
 495
 715
 1000
 895
 750.5

175



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.7	DAB	Date Reported: 29-Jul-20
Date Received: 20-Jul-20		Analysis Date: 21-Jul-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 29-Jul-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47740		Email: maan.abdelghani@dangelobrands.ca

9. Wastewater from City Manhole, Lot# 20/07/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1750

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Surmona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhaskar Chandra
Microbiologist

Gelda Scientific and Industrial Development Corporation
9 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
w.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

D'Angelo BOD Lab Test

Jul-20

1035

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
July 1, 2020	closed			
July 2, 2020	9 AM - 9 PM	7.6-7.9	0.06 -0.06	1000-1200 mg/L
July 3, 2020	9 AM - 9 PM	8.5-7.6	0.05 -0.06	890-850 mg/L
July 4, 2020	closed			
July 5, 2020	closed			
July 6, 2020	9 AM - 9 PM	8.6-8.4	0.06 -0.08	450-890 mg/L
July 7, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.5	900-600 mg/L
July 8, 2020	9 AM - 9 PM	7.9-8.3	0.07 -0.09	1200-1600 mg/L
July 9, 2020	9 AM - 9 PM	7.9-8.5	0.05 -0.06	1700-650 mg/L
July 10, 2020	9 AM - 9 PM	8.5-8.6	0.05 -0.07	1700-650 mg/L
July 11, 2020	closed			
July 12, 2020	closed			
July 13, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.06	560-950 mg/L
July 14, 2020	9 AM - 9 PM	8.2-8.3	0.05 -0.09	1000-1200 mg/L
July 15, 2020	9 AM - 9 PM	7.6-8.4	0.09 -0.07	980-1200 mg/L
July 16, 2020	9 AM - 9 PM	7.6-7.1	0.03 -0.07	750-850 mg/L
July 17, 2020	9 AM - 9 PM	7.6-7.5	0.08 -0.03	1700-1200 mg/L
July 18, 2020	closed			
July 19, 2020	closed			
July 20, 2020	9 AM - 9 PM	7.6-7.8	0.08 -0.09	1000-1500 mg/L
July 21, 2020	9 AM - 9 PM	8.1-7.9	0.07 -0.05	900-851 mg/L
July 22, 2020	9 AM - 9 PM	8.9-7.4	0.08 -0.09	1600-1020 mg/L
July 23, 2020	9 AM - 9 PM	7.3-7.2	0.07 -0.10	1000-1100 mg/L
July 24, 2020	9 AM - 9 PM	8.8-7.9	0.04 -0.06	550-650 mg/L
July 25, 2020	closed			
July 26, 2020	closed			
July 27, 2020	9 AM - 9 PM	7.6-8.2	0.08 -0.07	1500-1200 mg/L
July 28, 2020	9 AM - 9 PM	7.1-7.2	0.07 -0.08	950-1200 mg/L
July 29, 2020	9 AM - 9 PM	7.5-7.9	0.09 -0.06	1000-1200 mg/L
July 30, 2020	9 AM - 9 PM	7.5-8.5	0.05 -0.06	850-650 mg/L
July 31, 2020	9 AM - 9 PM	7.9-7.8	0.05 -0.07	1600-1700 mg/L

1400

1135

1175

755

1100

1090

800

1450

1250

875-5

1310

1050

600

1350

1075

1100

750

1650

SEPT

177



Region of Peel
working with you

P.O. Box 4512, Station A
Toronto, ON M5W 4L4

REG-003

Water, Wastewater and
Stormwater Service

Posted: 16 Sept. 2020
Reposted: 19 Oct '20

Account Number	5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday	
Brampton/Mississauga Caledon	905-791-8711 905-584-2216

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

09 8 - Sep 8

Description

PREVIOUSLY BILLED AMOUNT
 PAYMENT RECEIVED WITH THANKS 2020-08-17
 PAYMENT RECEIVED WITH THANKS 2020-08-20
 PAYMENT RECEIVED WITH THANKS 2020-08-21
 LATE PAYMENT CHARGES
 BALANCE FORWARD
 COLLECTION TURN-ON CHARGE
 COLLECTION TURN-OFF CHARGE
 SEWER APPEAL ADJUSTMENT
 WATER: 32,031.5m³ x 100% X \$1.598
 WASTEWATER: 32,031.5m³ X 100% X \$1.2033
 STORMWATER CHARGE: 45.5 UNITS X \$0.2964384 x 29 DAYS

RECEIVED SEP 16 2019

\$204,355.83
 \$23,972.83 CR
 \$90,042.20 CR
 \$8,546.32 CR
 \$1,428.15 ✓
 \$83,222.63
 \$90.00
 \$90.00
 \$9,957.84 CR ✓
 \$51,186.34
 \$38,543.50
 \$391.15
 \$90,000.00

For more information go to www.stormwatercharge.ca

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibilities at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read	Consumption
2020-09-08	32	32032m ³	1001.000m ³	ACTUAL	2020-09-08	95342	778850	32031.5m ³
2020-08-07	31	28536m ³	920.516m ³					
2020-07-07	33	26474m ³	802.242m ³					
2020-06-04	29	24534m ³	846.000m ³					
2020-05-06	28	24398m ³	871.357m ³					
2020-04-08	34	25921m ³	762.382m ³					
2020-03-05	27	22738m ³	842.148m ³					
2020-02-07	27	27731m ³	1027.074m ³					
								\$163,565.78
								Amount Due After
								2020-10-01
								\$165,368.20

Please Retain This Portion for Your Records

Page 1 of 1

130232714_C 100 6100 7000000

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment

Please Do Not Staple, Fold or Use Paper Clips.
Payment may be made at most financial institutions.



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

165368202020100158541100002163565782

Service Address

4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

006150 00000009
2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6



Account Number	5854-1100-00
Amount Now Due	\$163,565.78
After This Date Pay This Amount	2020-10-01 \$165,368.20
Amount Paid	

102223 9001

96



30-Sep-20

2156775 Ontario Inc. O/A D'Angelo Brands
 4500 Eastgate Parkway
 Mississauga, ON
 L4W 3W6

ATTENTION: George Runaghan

MONTHLY SEWAGE DISCHARGE INVOICE AS PER AGREEMENT
 FOR SEPTEMBER 2020

Invoice Description	HST	AMOUNT
SURCHARGE = F x Q x R Where F= 3.00 ; Q= 22.74 ; Thousand Cubic Meters and R= \$ 368.00 Total Surcharge Calculated		\$25,104.96

COSTS FOR SURVEYS	1 Surveys, 2 manhours and 24 samplers hours each		
LABOUR:	1 hours @ \$ 175.00	\$22.75	\$175.00
EQUIPMENT:	24 hours @ \$ 3.00	\$9.36	\$72.00
ANALYSIS:	1 CBOD @ \$ 28.97		\$28.97
	1 Suspended Solids @ \$ 14.25		\$14.25
	1 Phosphorus @ \$ 24.00		\$24.00

Subtotal: \$25,419.18
HST: \$32.11
TOTAL AMOUNT DUE: \$25,451.29

If you have any questions please call (905) 791-7800, Extension 3108.



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: C000541
Report Date: 2020/09/22
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: RM
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		NQJ870		
Sampling Date		2020-09-16		
COC Number		na		
Parameter	Units	9794A-SX		Sewer Use Limit
pH		5.73		5.5 - 10
CBOD5	mg/L	1200		300
Total Phosphorus	mg/L	0.31		10
SEM - Mineral/Synthetic	mg/L	19		15
SEM - Animal/Vegetable	mg/L	14		150
Total Suspended Solids	mg/L	51		350

Inspector's Comments:

(Supervised per inspector) in-frankly

Reviewed By:

Roberta J. Atkinson

Date:

Sept 30th 2020

BILL FORD

SURCHARGE-3RD SAMPLE-3RD QUARTER 2020

3.00

Date Printed:

September 28, 2020

180

Region of Peel INVOICE

The Regional Municipality of Peel
Accounts Receivable
PO Box 458
Brampton, ON L6V 2L4

REG 008

Posted: 2 Oct '20

Invoice No:	243024
Invoice Date: YYMMDD	2020/10/02
Terms:	NET 30 DAYS
Interest Rate on Overdue Accounts	1.50% per month 18.00% per annum
Inquiries:	(905)791-7800 Ext. 4279
Police:	(905)453-2121 Ext. 4210 zzg-arinvoicing@peelregion.ca

Customer Account No. 2156ONT001
 Customer Address:
 2156775 ONTARIO INC.
 O/A D'ANGELO BRANDS LTD.
 4500 EASTGATE PKWY
 MISSISSAUGA ON L4W 3W6

Description	\$ Amount
ATTENTION: GEORGE RUNAGHAN	
MONTHLY SEWAGE DISCHARGE INVOICE AS PER AGREEMENT FOR SEPTEMBER 2020	
TOTAL CALCULATED	\$25,419.18
PLEASE SEE ATTACHED	
Sub Total: \$25,419.18 HST: \$32.11 Total: \$25,451.29	

Errors and Omissions Excepted
HST No. 119407187RT

Please retain this portion for your records

Please return this portion with your payment

Invoice No: 243024
Invoice Date: 2020/10/02
YYMMDD

Please make payment to the Region of Peel

Customer Account No. 2156ONT001

Region of Peel
 The Regional Municipality of Peel
 Accounts Receivable
 PO Box 458
 Brampton, ON L6V 2L4

Amount Due: \$25,451.29

Amount Paid: _____

Customer Address:
 2156775 ONTARIO INC.
 O/A D'ANGELO BRANDS LTD.
 4500 EASTGATE PKWY
 MISSISSAUGA ON L4W 3W6

181



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 37	DAB	Date Reported: 11-Sep-20
Date Received: 1-Sep-20		Analysis Date: 2-Sep-20
Code From: 4		Report To: Maan Abdulghani
Code To: 4		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 11-Sep-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1/813110	=====>	Email: maan.abdelghani@dangelobrands.ca
PO#: 47576		

Sample Desc.: 4. Wastewater from City Manhole, Lot# Aug 31, 2020 11:45:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Carbonaceous	INOR-121-6023	mg/L	2	223

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit

Authorized By: ()Damian Boyd ()Dr. Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bindeep Chahal
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref SOP 101 See statements on reverse side.

182

D'Angelo BOD Lab Test

Average

737 mg/L

Sep-20

Avg 836

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
September 1, 2020	9 AM - 9 PM	6.1-8.7	0.01 -0.06	650-650 mg/L
September 2, 2020	9 AM - 9 PM	7.9-7.2	0.06 -0.07	650-950 mg/L
September 3, 2020	9 AM - 9 PM	7.8-7.6	0.04 -0.04	800-950 mg/L
September 4, 2020	9 AM - 9 PM	8.1-7.6	0.06 -0.07	980-1050 mg/L
September 5, 2020	9 AM - 9 PM	7.9-7.2	0.05-0.05	1200-850 mg/L
September 6, 2020	closed			
September 7, 2020	closed			
September 8, 2020	9 AM - 9 PM	9.6-7.6	0.02 -0.06	450-650 mg/L
September 9, 2020	9 AM - 9 PM	7.8-7.6	0.03 -0.04	850-650 mg/L
September 10, 2020	9 AM - 9 PM	8.9-7.9	0.06 -0.07	750-850 mg/L
September 11, 2020	9 AM - 9 PM	7.8-7.9	0.06-0.07	650-850 mg/L
September 12, 2020	9 AM - 9 PM	8.1-7.3	0.07 -0.07	660-800 mg/L
September 13, 2020	closed			
September 14, 2020	9 AM - 9 PM	8.1-7.9	0.06 -0.07	680-550 mg/L
September 15, 2020	9 AM - 9 PM	7.8-7.3	0.06 -0.08	800-950 mg/L
September 16, 2020	9 AM - 9 PM	7.1-7.8	0.06 -0.09	650-850 mg/L
September 17, 2020	9 AM - 9 PM	8.1-8.6	0.06 -0.10	850-950 mg/L
September 18, 2020	9 AM - 9 PM	8.9-9.1	0.01 -0.00	600-750 mg/L
September 19, 2020	9 AM - 9 PM	7.8-7.6	0.03 -0.04	650-700 mg/L
September 20, 2020	closed			
September 21, 2020	9 AM - 9 PM	7.5-7.9	0.06 -0.08	650-860 mg/L
September 22, 2020	9 AM - 9 PM	7.9-7.9	0.02 -0.06	860-750 mg/L
September 23, 2020	9 AM - 9 PM	7.9-8.2	0.04 -0.03	400-350 mg/L
September 24, 2020	9 AM - 9 PM	8.6-8.4	0.03 -0.04	980-1050 mg/L
September 25, 2020	9 AM - 9 PM	7.9-7.2	0.05-0.05	1000-850 mg/L
September 26, 2020				
September 27, 2020				
September 28, 2020	9 AM - 9 PM	8.1-7.9	0.06 -0.07	780-550 mg/L
September 29, 2020	9 AM - 9 PM	7.8-7.3	0.06 -0.08	980-560 mg/L
September 30, 2020	9 AM - 9 PM	7.1-7.8	0.06 -0.09	890-750 mg/L

650

800

875

1015

1025

550

750

800

750

730

615

875

750

900

675

675

755

805

375

1015

925


665

770

820

183

02-10-13 ER



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

Water, Wastewater and
Stormwater Service

REG003

Posted: 19 Oct 20

Service Address

2156775 ONTARIO INC
4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number
5854-1100-00
Billing Inquiries - 8:30 a.m. - 4:30 p.m. Monday to Friday
Brampton/Mississauga 905-797-8711 Caledon 905-584-2216

M

Bill Issue Date	2020-10-09
No. of Days Billed	28

Description

Sept 9 - Oct 6

PREVIOUSLY BILLED AMOUNT
 PAYMENT RECEIVED WITH THANKS 2020-09-14
 LATE PAYMENT CHARGES
 BALANCE FORWARD
 SEWER APPEAL ADJUSTMENT
 WATER: 30,469.5m³ x 100% x \$1.598
 WASTEWATER: 30,469.5m³ x 100% x \$1.2033
 STORMWATER CHARGE: 45.5 UNITS x \$0.2964384 x 29 DAYS

✓ \$85,745.36

\$ Amount
\$163,565.78
\$72,016.64 CR
\$1,589.00 ✓
\$93,138.14
\$11,177.61 CR ✓
\$48,690.26
\$36,663.95
\$391.15

For more information go to www.stormwatercharge.ca

A toilet left running for 90 days can end up costing you \$1,000 OR MORE! Learn how water is billed and homeowner responsibility at www.peelregion.ca/waterbills.

Consumption History				Current Bill				Amount Now Due
Read Date	Days Billed	Consumption	Average Daily Consumption	Read Type	Date	Regular Read	Large Read	Consumption
2020-10-06	28	30470m ³	1088.214m ³	ACTUAL	2020-10-06	97701.5	806960	30469.5m ³
2020-09-08	32	32032m ³	1001.000m ³					
2020-08-07	31	28536m ³	920.515m ³					
2020-07-07	33	26474m ³	802.242m ³					
2020-06-04	29	24534m ³	846.000m ³					
2020-05-06	28	24398m ³	871.357m ³					
2020-04-08	34	25921m ³	762.382m ³					
2020-03-05	34	22738m ³	668.765m ³					
								\$167,705.89
								Amount Due After
								2020-10-30
								\$169,420.80

Please Retain This Portion for Your Records

Page 1 of 1

HST No. 119407187RT When Applicable

Please Return This Stub With Your Payment

Please Do Not Staple, Fold or Use Paper Clips.
Payment may be made at most financial institutions.



P.O. Box 4512, Station A
Toronto, ON M5W 4L4

169420802020103058541100002167705897

Service Address

4500 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Billing Address

003756 000000026
2156775 ONTARIO INC
O/A D'ANGELO BRANDS
4544 EASTGATE PKY
MISSISSAUGA ON L4W 3W6

Account Number	5854-1100-00
Amount Now Due	\$167,705.89
After This Date Pay This Amount	2020-10-30 \$169,420.80
Amount Paid	

102223 9001

96



Pollution Control Wastewater Bylaw Enforcement Report

MAAN ABDELGHANI (EMAIL)
#2156775 ONTARIO INC.
O/A D'ANGELO BRANDS
4500 EASTGATE PARKWAY
MISSISSAUGA, ON L4W 3W6

BV Labs Job #: COR0951
Report Date: 2020/10/21
Bureau Veritas Laboratories
Client Project#:
Site Location: 9794A-SX*
Sampler Initials: ED
INS.REF.: A

RESULTS OF ANALYSES OF WATER

BV Labs ID		NXA022		
Sampling Date		2020-10-15		
COC Number		N/A		
Parameter	Units	9794A-SX		Sewer Use Limit
Field pH		5.44		5.5 - 10
CBOD5	mg/L	3800		300
Total Phosphorus	mg/L	0.40		10
SEM - Mineral/Synthetic	mg/L	11		15
SEM - Animal/Vegetable	mg/L	23		150
Total Suspended Solids	mg/L	37		350

Inspector's Comments:

[Handwritten signature]

Reviewed By:

[Handwritten signature]
BILL FORD

Date:

[Handwritten date]
OCT 23/20

SURCHARGE-1ST SAMPLE-4TH QUARTER 2020

185

D'Angelo BOD Lab Test

Average	1333 mg/L
---------	-----------

Oct-20

Av → 765

Wastewater Sewer Discharge Biochemical Oxygen Demand (BODS)

Date Collected	Time	PH tet	Refractometer Brix	Test Result
October 1, 2020	9 AM - 9 PM	7.1-8.2	0.03-0.05	450-850 mg/L
October 2, 2020	9 AM - 9 PM	7.9-7.2	0.05-0.08	850-350 mg/L
October 3, 2020	9 AM - 9 PM	8.3-8.6	0.1-0.079	750-1100 mg/L
October 4, 2020	closed			
October 5, 2020	9 AM - 9 PM	7.8-7.6	0.09-0.1.1	1000-850 mg/L
October 6, 2020	10 AM - 9 PM	7.8-7.6	0.05-0.06	900-800 mg/L
October 7, 2020	11 AM - 9 PM	7.9-7.6	0.08-0.07	2200-550 mg/L
October 8, 2020	9 AM - 9 PM	8.5-8.1	0.03-0.06	950-650 mg/L
October 9, 2020	9 AM - 9 PM	7.5-7.6	0.05-0.04	700-650 mg/L
October 10, 2020	9 AM - 9 PM	6.8-7.5	0.06-0.07	1300-750 mg/L
October 11, 2020	9 AM - 9 PM	7.6-7.9	0.06-0.07	600-1100 mg/L
October 12, 2020	closed			
October 13, 2020	9 AM - 9 PM	7.6-7.8	0.06-0.09	750-1800 mg/L
October 14, 2020	9 AM - 9 PM	7.9-8.1	0.06-0.07	850-950 mg/L
October 15, 2020	9 AM - 9 PM	7.9-7.6	0.10-0.05	800-1200 mg/L
October 16, 2020	9 AM - 9 PM	7.6-7.1	0.06-0.09	950-650 mg/L
October 17, 2020	9 AM - 9 PM	7.5-7.6	0.07-0.08	1100-950 mg/L
October 18, 2020	9 AM - 9 PM	8.1-7.9	0.09-0.02	800-1600 mg/L
October 19, 2020	9 AM - 9 PM	7.6-7.5	0.04-0.05	1500-700 mg/L
October 20, 2020	9 AM - 9 PM	7.9-8.2	0.06-0.04	1200-850 mg/L
October 21, 2020	9 AM - 9 PM	7.9-7.8	0.08-0.08	1300-350 mg/L
October 22, 2020	9 AM - 9 PM	7.2-7.3	0.02-0.06	460-1000 mg/L
October 23, 2020	9 AM - 9 PM	7.6-7.5	0.06-0.05	1400-350 mg/L
October 24, 2020	9 AM - 9 PM	7.6-7.5	0.07-0.05	980-1050 mg/L
October 25, 2020	9 AM - 9 PM	6.9-7.2	0.07-0.08	1000-850 mg/L
October 26, 2020	9 AM - 9 PM	6.8-6.4	0.09-0.01	1800-350 mg/L
October 27, 2020	9 AM - 9 PM	7.2-7.9	0.04-0.05	2200-750 mg/L
October 28, 2020	9 AM - 9 PM	7.6-7.5	0.1.2-0.06	1200-550 mg/L
October 29, 2020	9 AM - 9 PM	7.8-7.2	0.05-0.07	980-1200 mg/L
October 30, 2020	9 AM - 9 PM	7.6-7.8	0.07-0.09	890-1300 mg/L

550
600
925
925
850

↑

186



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	39.1	DAB	Date Reported:	24-Sep-20
Date Received:	15-Sep-20		Analysis Date:	16-Sep-20
Code From:	6		Report To:	Maan Abdelghani
Code To:	6		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	24-Sep-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1084/813215	=====>	Email:	maan.abdelghani@danqelobrand.com
PO#:	47576			

Sample Desc.: 6. Wastewater from City Manhole, Lot# Sept 15, 2020 8 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	391

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Roshini Choudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref SOP 10.1 See statements on reverse side.

187



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	39.2	DAB	Date Reported:	24-Sep-20
Date Received:	15-Sep-20		Analysis Date:	16-Sep-20
Code From:	7		Report To:	Maan Abdelghani
Code To:	7		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	24-Sep-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1084/813215	=====>	Email:	maan.abdelghani@dangelobrand.com
PO#:	47576			

Sample Desc.: 7. Wastewater from City Manhole, Lot# Sept 15, 2020 10 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	>227

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: () Damien Boyd () Dr. Suniona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Suniona Guha / Binayak Choudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref SOP 10.1 See statements on reverse side.

188



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	39.3	DAB	Date Reported:	24-Sep-20
Date Received:	15-Sep-20		Analysis Date:	16-Sep-20
Code From:	8		Report To:	Mann Abdelghani
Code To:	8		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	24-Sep-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1084/813215	=====>	Email:	<u>maan.abdelghani@dangelobrands.ca</u>
PO#:	47576			

Sample Desc.: **8. Wastewater from City Manhole, Lnt# Sept 15, 2020 1 PM**

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	490

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: ()Damian Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref SOP 101 See statements on reverse side.

189



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	39.4	DAB	Date Reported:	24-Sep-20
Date Received:	15-Sep-20		Analysis Date:	16-Sep-20
Code From:	9		Report To:	Maan Abdelghani
Code To:	9		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	24-Sep-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1084/813215	=====>	Email:	<u>maan.abdelghani@dangelobrand.com</u>
PO#:	47576			

Sample Desc.: 9. Wastewater from City Manhole, Lot# Sept 15, 2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	>233

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhushan Choudhary
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

190



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 40.1 **DAB** **Date Reported:** 5-Oct-20

Date Received: 21-Sep-20 **Analysis Date:** 22-Sep-20

Code From: 10 **Report To:** Maan Abdelghani

Code To: 10 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 5-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 10977813276 **Email:** maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 10. Wastewater from City Manhole, Lot# September 21, 2020 8:45 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	731

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: ()Damian Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Dr. Arvind Choudhary
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref SOP 101 See statements on reverse side.

191



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	40.2	DAB	Date Reported:	5-Oct-20
Date Received:	21-Sep-20		Analysis Date:	22-Sep-20
Code From:	11		Report To:	Mann Abdelghani
Code To:	11		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	5-Oct-20		Address:	4500 Eustgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1097/813276	=====>	Email:	magn.abdelghani@danqelobrand.com
PO#:	47576			

Sample Desc.: 11. Wastewater from City Manhole, Lot# September 21, 2020 11:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	>2490

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. ROD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: (U)Damian Boyd (J)Dr.Sumona Guha (J)Arvind Gelda
Tech.Salas Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref SOP 10.1 See statements on reverse side.

192



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	40.3	DAB	Date Reported:	5-Oct-20
Date Received:	21-Sep-20		Analysis Date:	22-Sep-20
Code From:	12		Report To:	Maan Abdelghani
Code To:	12		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	5-Oct-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1097/813276	=====>	Email:	maan.abdelghani@dangelobrand.com
PO#:	47576			

Sample Desc.: 12. Wastewater from City Manhole, Lot# September 21, 2020 1:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1690

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation: RDL=Reported Detection Limit BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Dr. Arvind Chaudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref SOP 10.1 See statements on reverse side.

193



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 45	DAB	Date Reported: 16-Oct-20
Date Received: 5-Oct-20		Analysis Date: 6-Oct-20
Code From: 3		Report To: Maan Abdelghani
Code To: 3		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 16-Oct-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1128/813431	=====>	Email: maan.abdelghani@dangelobrands.ca

Customer supplied data ±

Sample Desc.: 3. Wastewater from City Manhole, Lot# October 5, 2020 4:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1380

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha
Microbiologist

Gelda Scientific and Industrial Development Corporation
5320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See disclaimer on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO/IEC 17025
MECP
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 43 **DAB** **Date Reported:** 16-Oct-20
Date Received: 5-Oct-20 **Analysis Date:** 6-Oct-20
Code From: 1 **Report To:** Maan Abdelghani
Code To: 1 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Issued: 16-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1128/813431 **Email:** maan.abdelghani@dangelobrands.ca

Customer supplied data ±

Sample Desc.: I. Wastewater from City Manhole, Lot# October 5, 2020 9:00 AM

BOD (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	531

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: (M) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Randeep Chahal
Microbiologist

195

This is **Exhibit "J"** referred to in the
Affidavit of Frank D'Angelo
sworn before me this 12th day of
July, 2023



A Commissioner, etc

**Gelda Scientific
Lab Test Results**



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.3 DAB Date Reported: 27-Nov-19

Date Received: 18-Nov-19 Analysis Date: 19-Nov-19

Code From: 11 Report To: Maan Abdelghani

Code To: 11 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Reported: 27-Nov-19 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

PO# 46897 =====> Email: maan.abdelghani@dangelobrand.ca

Lab Tracking #: 435/810688

Sample Desc.: 11. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	478

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Bhawdeep Chandrahoke
Microbiologist

1978-2019



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.2 DAB Date Reported: 27-Nov-19

Date Received: 18-Nov-19 Analysis Date: 19-Nov-19

Code From: 10 Report To: Maan Abdelghani

Code To: 10 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Reported: 27-Nov-19 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

PO# 46897 =====> Email: maan.abdelghani@dangelobrands.ca

Lab Tracking #: 435/810688

Sample Desc.: 10. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	637

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandhok
Microbiologist

1978-2019
42



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 28.1 **DAB** **Date Reported:** 27-Nov-19

Date Received: 18-Nov-19 **Analysis Date:** 19-Nov-19
Code From: 9 **Report To:** Maan Abdelghani
Code To: 9 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Reported: 27-Nov-19 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 46897 **Email:** maan.abdelghani@dangelobrand.com
Lab Tracking #: 435/810688

Sample Desc.: 9. Wastewater from City Manhole, Lot# 18/11/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	492

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandhok
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019
42

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

200



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 28.3	DAB	Date Reported: 19-Dec-19
Date Received: 11-Dec-19		Analysis Date: 12-Dec-19
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 19-Dec-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47142		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 11/12/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	958

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Blursleep Chaudhary
Microbiologist

1978-2019

201



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Neutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page:1/1

REPORT NO.: 28.2	DAB	Date Reported: 17-Dec-19
Date Received: 09-Dec-19		Analysis Date: 10-Dec-19
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 17-Dec-19		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47100		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 09/12/2019

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	819

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr.Sumona Guha () Arvind Gelda
Tech.Salas Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandel
Microbiologist

Gelda Scientific and Industrial Development Corporation

120 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.

Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

202

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 30.1	DAB	Date Reported: 30-Jan-20
Date Received: 21-Jan-20		Analysis Date: 22-Jan-20
Code From: 5		Report To: Maan Abdelghani
Code To: 5		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
<u>Date Issued:</u> 30-Jan-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 559/811219	=====>	Email: maan.abdelghani@dangelobrands.ca

Sample Desc.: 5. Wastewater from City Manhole (Normal Flow), Lot# 20/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1350

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bindudeep Chandel
Microbiologist

1978-2019



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 30.2 **DAB** **Date Reported:** 30-Jan-20

Date Received: 21-Jan-20 **Analysis Date:** 22-Jan-20

Code From: 6 **Report To:** Maan Abdelghani

Code To: 6 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 30-Jan-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 559/811219 **Email:** maan.abdelghani@dangelobrand.ca

Sample Desc.: 6. Wastewater from City Manhole (From Side Wall), Lot# 20/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	2460

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chandhoke
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

204

LABORATORY ANALYSIS REPORT

Page:1/1

D'Angelo Brands

REPORT NO.: 30.3 DAB Date Reported: 30-Jan-20

Date Received: 21-Jan-20 Analysis Date: 22-Jan-20

Code From: 7 Report To: Maan Abdelghani

Code To: 7 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 30-Jan-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 559/811219 Email: maan.abdelghani@dangelobrand.com

Sample Desc.: 7. Wastewater from City Manhole (Flooded Manhole), Lot# 20/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	50	4500

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Bhavdeep Chandhoke
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7
www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL
This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 31.1 DAB Date Reported: 7-Feb-20

Date Received: 31-Jan-20 Analysis Date: 31-Jan-20

Code From: 8 Report To: Maan Abdelghani

Code To: 8 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 7-Feb-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 584/811295 Email: maan.abdelghani@dangelobrands.ca

PO#: 47087

Sample Desc.: 8. Wastewater from City Manhole (Normal Flow), Lot# 30/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	838

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation, RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhurdeep Chahal
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



206
GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 31.2	DAB	Date Reported: 7-Feb-20
Date Received: 31-Jan-20		Analysis Date: 31-Jan-20
Code From: 9		Report To: Maan Abdelghani
Code To: 9		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 7-Feb-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 584/811295	=====>	Email: maan.abdelghani@dangelobrand.com
PO#: 47087		

Sample Desc.: 9. Wastewater from City Manhole (From Side Wall), Lot# 30/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1070

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bindeep Chahal
Microbiologist

1978-2019



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 31.3	DAB	Date Reported: 7-Feb-20
Date Received: 31-Jan-20		Analysis Date: 31-Jan-20
Code From: 10		Report To: Maan Abdelghani
Code To: 10		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 7-Feb-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 584/811295	=====>	Email: maan.abdelghani@dangelobrand.ca
PO#: 47087		

Sample Desc.: 10. Wastewater from City Manhole (Flooded Manhole), Lot# 30/01/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	500	9220

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation: RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2019

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

208



GELDA SCIENTIFIC

ISO 9001
MC
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 34.1 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 9 Report To: Maan Abdelghani

Code To: 9 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 680/811698 Email: maan.abdelghani@dangelobrand.ca

PO#: 47181

Sample Desc.: 9. Rinse water from Filler, Lot# 11:00:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1070

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandel
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO
LICENCE # 203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 34.2 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 10 Report To: Maan Abdelghani

Code To: 10 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 680/811698 Email: maan.abdelghani@danqelobrands.ca

PO#: 47181

Sample Desc.: 10. Rinse water from Filler, Lot# 11:45:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	19

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chandhoke
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO
LICENCE # 103

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 34.3 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 11 Report To: Maan Abdelghani

Code To: 11 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 680/811698 Email: maan.abdelghani@dangelobrands.ca

PO#: 47181

Sample Desc.: 11. Rinse water from Filler, Lot# 12:15:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1140

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (M) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

1978-2020



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO
LICENCE # 03

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 34.4 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 12 Report To: Maan Abdelghani

Code To: 12 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 680/811698 Email: maan.abdelghani@dangelobrands.ca

PO#: 47181

Sample Desc.: 12. Rinse water from Filler, Lot# 1:15:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	406

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (*)Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Blindheep Chandelhok
Microbiologist

1978-2020



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 9001:2015
MIOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 33.2 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 5 Report To: Maan Abdelghani

Code To: 5 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 679/811698 Email: maan.abdelghani@dangelobrand.ca

PO#: 47181

Sample Desc.: 5. Wastewater from City Manhole, Lot# 12:15:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	20

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2030

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

213

ISC 25
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

Page:1/1

D'Angelo Brands

REPORT NO.: 33.3 DAB Date Reported: 18-Mar-20
 Date Received: 10-Mar-20 Analysis Date: 11-Mar-20
 Code From: 6 Report To: Maan Abdelghani
 Code To: 6 Fax: 905-238-6300 ext 232
 # of Samples: 1 Tel: 905-629-7081
 Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
 Lab Tracking #: 679/811698 Email: maan.abdelghani@dangelobrand.com
 PO#: 47181

Sample Desc.: 6. Wastewater from City Manhole, Lot# 12:45:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	95

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Choudhury
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 25
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 33.4 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 7 Report To: Maan Abdelghani

Code To: 7 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 679/811698 Email: maan.abdelghani@dangelobrand.ca

PO#: 47181

Sample Desc.: 7. Wastewater from City Manhole, Lot# 12:30:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	19

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhudeep Chandhoke
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 25
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 33.5 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 8 Report To: Maan Abdelghani

Code To: 8 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 679/811698 Email: maan.abdelghani@danqelobrand.ca

PO#: 47181

Sample Desc.: 8. Wastewater from City Manhole, Lot# 13:45 pm

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	2190

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chandhoke
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 9001
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 32.1 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 1 Report To: Maan Abdelghani

Code To: 1 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 678/811698 Email: maan.abdelghani@dangelobrands.ca

PO#: 47181

Sample Desc.: 1. Rinse water from Batching Tank, Lot# 11:45:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	<5

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandhola
Microbiologist

1978-2020



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISC
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 32.2 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 2 Report To: Maan Abdelghani

Code To: 2 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 678/811698 Email: maan.abdelghani@dangelobrands.ca

PO#: 47181

Sample Desc.: 2. Rinse water from Batching Tank, Lot# 12:15:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	55

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chandhoke
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISF 5
JE-
LICENC. #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 32.3 DAB Date Reported: 18-Mar-20

Date Received: 10-Mar-20 Analysis Date: 11-Mar-20

Code From: 3 Report To: Maan Abdelghani

Code To: 3 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 18-Mar-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 678/811698 Email: maan.abdelghani@dangelobrands.ca

PO#: 47181

Sample Desc.: 3. Rinse water from Batching Tank, Lot# 1:15:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	5	28

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2030

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

219

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 33.2

DAB

Date Reported:

29-Apr-20

Date Received: 20-Apr-20

Analysis Date:

21-Apr-20

Code From: 1

Report To:

Maan Abdelghani

Code To: 2

Tel:

905-238-6300 ext232

of Samples: 1

Fax

905-629-7081

Date Reported: 29-Apr-20

Address:

4500 Eastgate Parkway, Mississauga, ON L4W 3W6

PO# 47272

Email:

maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 20/04/2020

Inorganic Chemistry (Water)

Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1625

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chandel
Microbiologist

Gelda Scientific and Industrial Development Corporation
20 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

320



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 33.1	DAB	Date Reported: 15-Apr-20
Date Received: 06-Apr-20		Analysis Date: 07-Apr-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 15-Apr-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47211		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 06/04/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1850

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chundheke
Microbiologist

Gelda Scientific and Industrial Development Corporation
120 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

143
1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.1

DAB

Date Reported: 19-May-20

Date Received: 11-May-20

Analysis Date: 12-May-20

Code From: 1

Report To: Maan Abdelghani

Code To: 2

Tel: 905-238-6300 ext232

of Samples: 1

Fax: 905-629-7081

Date Reported: 19-May-20

Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

PO# 47406

Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 11/05/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1022

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandhoke
Microbiologist

Gelda Scientific and Industrial Development Corporation
120 West Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

222

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.2	DAB	Date Reported: 17-June-20
Date Received: 8-June-20		Analysis Date: 9-June-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 2		Fax: 905-629-7081
Date Reported: 17-June-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47610		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 08/06/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1550

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chahal
Microbiologist

Gelda Scientific and Industrial Development Corporation
1 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

223



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT D'Angelo Brands

Page: 1/1

REPORT NO.: 34.3	DAB	Date Reported: 25-June-20
Date Received: 16-June-20		Analysis Date: 17-June-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 2		Fax: 905-629-7081
Date Reported: 25-June-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47640		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 16/06/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1620

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chandel
Microbiologist

1978-2020

224



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Neutraceuticals

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 34.6	DAB	Date Reported: 14-Jul-20
Date Received: 06-Jul-20		Analysis Date: 07-Jul-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 2		Fax: 905-629-7081
Date Reported: 14-Jul-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47696		Email: maan.abdelghani@dangelobrands.ca

9. Wastewater from City Manhole, Lot# 06/07/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1580

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chahal
Microbiologist

Gelda Scientific and Industrial Development Corporation
1 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.

225



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025: Food & Water;
MOE: Water;
Lic.#100410-A:
Pharmaceuticals
& Nutraceuticals

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page: 1/1

REPORT NO.: 34.7	DAB	Date Reported: 29-Jul-20
Date Received: 20-Jul-20		Analysis Date: 21-Jul-20
Code From: 1		Report To: Maan Abdelghani
Code To: 2		Tel: 905-238-6300 ext232
# of Samples: 1		Fax: 905-629-7081
Date Reported: 29-Jul-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
PO# 47740		Email: maan.abdelghani@dangelobrand.com

9. Wastewater from City Manhole, Lot# 20/07/2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1750

All the above tests were sub-contracted; All subcontracted test results are not part of Gilda's scope of accreditation; RDL=Reported Detection Limit.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Bhavdeep Chavallakar
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 37 DAB Date Reported: 11-Sep-20

Date Received: 1-Sep-20 Analysis Date: 2-Sep-20

Code From: 4 Report To: Maan Abdelghani

Code To: 4 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 11-Sep-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1/813110 Email: maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 4. Wastewater from City Manhole, Lot# Aug 31, 2020 11:45:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Carbonaceous	INOR-121-6023	mg/L	2	223

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit.

Authorized By: (x) Damien Boyd () Dr.Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Phurdeep Chahal
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref. SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 39.1 DAB Date Reported: 24-Sep-20

Date Received: 15-Sep-20 Analysis Date: 16-Sep-20

Code From: 6 Report To: Maan Abdelghani

Code To: 6 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 24-Sep-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1084/813215 Email: maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 6. Wastewater from City Manhole, Lot# Sept 15, 2020 8 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	391

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: (x)Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

1978-2020

228



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	39,2	DAB	Date Reported:	24-Sep-20
Date Received:	15-Sep-20		Analysis Date:	16-Sep-20
Code From:	7		Report To:	Maan Abdelghani
Code To:	7		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	24-Sep-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1084/813215	=====>	Email:	maan.abdelghani@dangelobrands.ca
PO#:	47576			

Sample Desc.: 7. Wastewater from City Manhole, Lot# Sept 15, 2020 10 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	>227

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: (X) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chhillada

Microbiologist

229



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.:	39.3	DAB	Date Reported:	24-Sep-20
Date Received:	15-Sep-20		Analysis Date:	16-Sep-20
Code From:	8		Report To:	Maan Abdelghani
Code To:	8		Fax:	905-238-6300 ext 232
# of Samples:	1		Tel:	905-629-7081
Date Issued:	24-Sep-20		Address:	4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #:	1084/813215	=====>	Email:	maan.abdelghani@dangelobrand.com
PO#:	47576			

Sample Desc.: 8. Wastewater from City Manhole, Lot# Sept 15, 2020 1 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	490

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation, RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: (x)Damian Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dea Sumona Guha/Blumstein/Chandhoke
Microbiologist

1978-2020



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 39.4 **DAB** **Date Reported:** 24-Sep-20

Date Received: 15-Sep-20 **Analysis Date:** 16-Sep-20

Code From: 9 **Report To:** Maan Abdelghani

Code To: 9 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 24-Sep-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6


Lab Tracking #: 1084/813215 **Email:** maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 9. Wastewater from City Manhole, Lot# Sept 15, 2020

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	>233

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.


 Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
 Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Phurdeep Chaudhoke
 Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref. SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 40.1 **DAB** **Date Reported:** 5-Oct-20

Date Received: 21-Sep-20 **Analysis Date:** 22-Sep-20

Code From: 10 **Report To:** Mann Abdelghani

Code To: 10 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 5-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1097/813276 **Email:** maan.abdelghani@dangelobrands.ca

PO#: 47576

Sample Desc.: 10. Wastewater from City Manhole, Lot# September 21, 2020 8:45 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	731

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref. SOP 10 ; See statements on reverse side.



GELDA SCIENTIFIC

ISO 17025
MOE -
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

232

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 40.2	DAB	Date Reported: 5-Oct-20
Date Received: 21-Sep-20		Analysis Date: 22-Sep-20
Code From: 11		Report To: Maan Abdelghani
Code To: 11		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 5-Oct-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1097/813276	=====>	Email: maan.abdelghani@dangelobrand.com
PO#: 47576		

Sample Desc.: 11. Wastewater from City Manhole, Lot# September 21, 2020 11:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	>2490

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit, BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bluebird Chemicals
Microbiologist



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO 17025
MOE -
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 40.3 **DAB** **Date Reported:** 5-Oct-20

Date Received: 21-Sep-20 **Analysis Date:** 22-Sep-20
Code From: 12 **Report To:** Maan Abdelghani
Code To: 12 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Issued: 5-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1097/813276 **Email:** maan.abdelghani@dangelobrand.com
PO#: 47576

Sample Desc.: 12. Wastewater from City Manhole, Lot# September 21, 2020 1:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1690

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhaskar Choudhary
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref SOP 10.1 See statements on reverse side.



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 41.1 **DAB** **Date Reported:** 8-Oct-20

Date Received: 25-Sep-20 **Analysis Date:** 28-Sep-20

Code From: 13 **Report To:** Maan Abdelghani

Code To: 13 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 8-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1103/813330 **Email:** maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 13. Wastewater from City Manhole, Lot# September 25, 2020 8:45 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1120

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bindeep Chandel
Microbiologist

1978-2020



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

Page:1/1

D'Angelo Brands

REPORT NO.: 41.3 **DAB** **Date Reported:** 8-Oct-20

Date Received: 25-Sep-20 **Analysis Date:** 28-Sep-20

Code From: 15 **Report To:** Maan Abdelghani

Code To: 15 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 8-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1103/813330 **Email:** maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 15. Wastewater from City Manhole, Lot# September 25, 2020 1:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	2740

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Randeep Chahal
Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See disclaimer on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO/IEC 17025
MECP
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 41.2 **DAB** **Date Reported:** 8-Oct-20
Date Received: 25-Sep-20 **Analysis Date:** 28-Sep-20
Code From: 14 **Report To:** Mann Abdelghani
Code To: 14 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Issued: 8-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1103/813330 **Email:** maan.abdelghani@dangelobrands.ca
PO#: 47576

Sample Desc.: 14. Wastewater from City Manhole, Lot# September 25, 2020 4:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1860

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Rhindeep Chahal
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See disclaimer on reverse side.



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO/IEC 17025
MECP
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 42.1 **DAB** **Date Reported:** 8-Oct-20
Date Received: 28-Sep-20 **Analysis Date:** 29-Sep-20
Code From: 16 **Report To:** Maan Abdelghani
Code To: 16 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Issued: 8-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1109/813341 **Email:** maan.abdelghani@dangelobrand.com
PO#: 47576

Sample Desc.: 16. Wastewater from City Manhole, Lot# September 28, 2020 8:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	531

All the above tests were sub-contracted: All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chamlakhe
Microbiologist



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 42.2 DAB Date Reported: 8-Oct-20

Date Received: 28-Sep-20 Analysis Date: 29-Sep-20

Code From: 17 Report To: Maan Abdelghani

Code To: 17 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 8-Oct-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1109/813341 Email: maan.abdelghani@dangelobrand.com

PO#: 47576

Sample Desc.: 17. Wastewater from City Manhole, Lot# September 28, 2020 12:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	2080

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: (✓)Damian Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Bhardeep Chaudhary
Microbiologist

1978-2020



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 42.3 DAB Date Reported: 8-Oct-20

Date Received: 28-Sep-20 Analysis Date: 29-Sep-20

Code From: 18 Report To: Maan Abdelghani

Code To: 18 Fax: 905-238-6300 ext 232

of Samples: 1 Tel: 905-629-7081

Date Issued: 8-Oct-20 Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1109/813341 Email: maan.abdelghani@danqelobrand.com

PO#: 47576

Sample Desc.: 18. Wastewater from City Manhole, Lot# September 28, 2020 4:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	910

All the above tests were sub-contracted: All subcontracted test results are not part of Gelda's scope of accreditation: RDL=Reported Detection Limit.
BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr.Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chaudhary

Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full,
without written permission from Gelda Scientific.
Ref: SOP 10.1 See disclaimer on reverse side.

240



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 45	DAB	Date Reported: 16-Oct-20
Date Received: 5-Oct-20		Analysis Date: 6-Oct-20
Code From: 3		Report To: Maan Abdelghani
Code To: 3		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 16-Oct-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1128/813431	=====>	Email: maan.abdelghani@dangelobrands.ca

Customer supplied data ‡

Sample Desc.: 3. Wastewater from City Manhole, Lot# October 5, 2020 4:00 PM

Inorganic Chemistry (Water)

Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1380

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: (x) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Binodop Choudhury
Microbiologist

1978-2020



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 44 DAB **Date Reported:** 16-Oct-20

Date Received: 5-Oct-20 **Analysis Date:** 6-Oct-20

Code From: 2 **Report To:** Mann Abdelghani

Code To: 2 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 16-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1128/813431 **Email:** maan.abdelghani@dangelobrand.com

Customer supplied data ‡

Sample Desc.: 2. Wastewater from City Manhole, Lot# October 5, 2020 1:00 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	1950

All the above tests were sub-contracted. All subcontracted test results are not part of Gelda's scope of accreditation. RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Bhaskara Choudhary
Microbiologist

1978-2020



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 43 **DAB** **Date Reported:** 16-Oct-20

Date Received: 5-Oct-20 **Analysis Date:** 6-Oct-20

Code From: 1 **Report To:** Maan Abdelghani

Code To: 1 **Fax:** 905-238-6300 ext 232

of Samples: 1 **Tel:** 905-629-7081

Date Issued: 16-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6

Lab Tracking #: 1128/813431 **Email:** maan.abdelghani@danqelobrand.com

Customer supplied data ‡

Sample Desc.: 1. Wastewater from City Manhole, Lot# October 5, 2020 9:00 AM

BOD (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
BOD (5)	INOR-93-6006	mg/L	125	531

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation, RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels

Authorized By: (✓)Damien Boyd ()Dr.Sumona Guha ()Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha/Bhavdeep Chaudhary
Microbiologist

1978-2020

243



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO/IEC 17025
MECP
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 46.1 **DAB** **Date Reported:** 27-Oct-20
Date Received: 15-Oct-20 **Analysis Date:** 16-Oct-20
Code From: 4 **Report To:** Maan Abdelghani
Code To: 4 **Fax:** 905-238-6300 ext 232
of Samples: 1 **Tel:** 905-629-7081
Date Issued: 27-Oct-20 **Address:** 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1145/813565 **Email:** maan.abdelqhani@dangelobrand.ca

Customer supplied data ‡

Sample Desc.: 4. Wastewater from City Manhole, Lot# October 14, 2020 8:30 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1280

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chahal
Microbiologist

1978-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref: SOP 10.1 See disclaimer on reverse side.

244



GELDA SCIENTIFIC

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

ISO/IEC 17025
MECP
LICENCE #2203

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 46.3	DAB	Date Reported: 27-Oct-20
Date Received: 15-Oct-20		Analysis Date: 16-Oct-20
Code From: 6		Report To: Maan Abdelghani
Code To: 6		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 27-Oct-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1145/813565	=====>	Email: maan.abdelghani@dangelobrands.ca

Customer supplied data ‡

Sample Desc.: 6. Wastewater from City Manhole, Lot# October 14, 2020 5:30 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1450

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: ()Damien Boyd ()Dr.Sumona Guha ()Avind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhawdeep Chaudhary

Microbiologist

Gelda Scientific and Industrial Development Corporation
6320 Northwest Drive, Mississauga, Ontario, Canada L4V 1J7

www.gelda.com

1928-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific.
Ref: SOP 10.1 See disclaimer on reverse side.

245



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 46.2	DAB	Date Reported: 27-Oct-20
Date Received: 15-Oct-20		Analysis Date: 16-Oct-20
Code From: 5		Report To: Maan Abdelghani
Code To: 5		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 27-Oct-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1145/813565	=====>	Email: maan.abdelghani@dangelobrand.com

Customer supplied data ‡

Sample Desc.: 5. Wastewater from City Manhole, Lot# October 14, 2020 12:30 PM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1910

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: () Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech.Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

1928-2020

STRICTLY CONFIDENTIAL

This report may not be reproduced, except in full, without written permission from Gelda Scientific. Ref: SOP 10.1 See disclaimer on reverse side.

246



GELDA SCIENTIFIC

ISO/IEC 17025
MECP
LICENCE #2203

Tel: (905) 673-9320 Fax: (905) 673-8114 Email: mail@gelda.com

LABORATORY ANALYSIS REPORT

D'Angelo Brands

Page:1/1

REPORT NO.: 46.5	DAB	Date Reported: 27-Oct-20
Date Received: 15-Oct-20		Analysis Date: 16-Oct-20
Code From: 8		Report To: Maan Abdelghani
Code To: 8		Fax: 905-238-6300 ext 232
# of Samples: 1		Tel: 905-629-7081
Date Issued: 27-Oct-20		Address: 4500 Eastgate Parkway, Mississauga, ON L4W 3W6
Lab Tracking #: 1145/813565	=====>	Email: maan.abdelghani@dangelobrand.ca

Customer supplied data ‡

Sample Desc.: 8. Wastewater from City Manhole, Lot# October 15, 2020 6:00 AM

Inorganic Chemistry (Water)				
Parameter	Method Ref.:	Unit	RDL	Test Result
Biochemical Oxygen Demand, Total	INOR-121-6023	mg/L	2	1630

All the above tests were sub-contracted; All subcontracted test results are not part of Gelda's scope of accreditation; RDL=Reported Detection Limit. BOD is reported as greater than (>) due to complete depletion of DO at selected dilution levels.

Authorized By: (M) Damien Boyd () Dr. Sumona Guha () Arvind Gelda
Tech. Sales Mgr Lab Manager VP

Dr. Sumona Guha / Bhavdeep Chaudhary
Microbiologist

1978 2020
43

**ONTARIO
SUPERIOR COURT OF JUSTICE
COMMERCIAL LIST**

Proceedings commenced at Toronto

**SECOND
SUPPLEMENTARY MOTION RECORD**

KLUG LAW
Barristers & Solicitors
100 Allstate Parkway
Suite 800
Markham, ON L3R 6H3

Leo Klug
leoklug@kluglaw.ca
Law Society No. 12452U
Telephone: (905) 947-8771
Facsimile: (905) 947-0529

Counsel to Lo Greco Stilman LLP
Lawyers for the Respondent (Moving Party)
2156775 Ontario Limited